

# nisarg light<sup>®</sup>

DESIGNED FOR SMART LIVING

## LED COLLECTION

An Initiative By

**NIRVANA LIGHT<sup>®</sup>**

Enlighten Your Life

## ABOUT US

**NIRVANA LIGHT®** a luminaire company established in the year 2011. The company has gradually expanded its operations to an integrated lighting solution provider under one roof. Our quest for innovation and obsession for high quality has made us a leading provider of LED luminaires, providing an extensive range of fittings and fixtures at the most effective cost.

**NIRVANA LIGHT®** employs highly skilled technical staff supported by a team of Designers and Engineers and is backed by a fully equipped workshop entailing the most advanced technology. Thus, it has developed for itself an excellent reputation among leading Architects and Designers across India.

For us a Luminaire is more than a fixture that emits light, it is an epitome of our research and passion for our Innovation.

Light and NIRVANA: Light provides energy to all things in the natural world. Artificial light also creates value by adding beauty and functionality in such human-made environments as architectural spaces, interiors and landscapes. Innovation is our pursuit. Superior quality of light is our insistence. But, what defines NIRVANA is the deep enthusiasm and love for light.

Realize Green: Being environmentally conscious company it influences our entire product development. Our practice from the selection of materials, packaging to light sources reflects our respect for our environment. We at **NIRVANA LIGHT®** are committed to go into the relationship between the properties of light and Earth's environment in order to create an abundant next generation environment by using energy efficiently, rather than resorting to a fundamentally negative energy-saving approach. Our NIRVANA product collections contribute to the sustain ability of our planet thanks to their superior quality and lasting performance.

Internationally Advanced Design: **NIRVANA LIGHT®** is committed to high quality luminaire design & development. Our luminaires are equipped with advanced technology and aesthetic design, which matches Indian customers' demands and designers taste in lighting application.

Creativity, Quality and Elegance: These are the attributes that describe the new collections launched by NIRVANA, the fruits of eight years of hard work and dedication of entire Nirvana Team. Our Designers & Engineers with the support of our consultants have created these state-of-the-art collections by adopting new technology and new materials without sacrificing our core values of Creativity, Quantity and Elegance.

### MAKE IN INDIA

Across India, Citizens are connecting with local businesses having manufacturing base in India. Inspired by the Prime Minister's word, we have ingrained the "Make in India" philosophy in our operations. We believe in manufacturing, outsourcing components from local manufacturers and selling the best quality LED lights, thereby, not only earning recognition for our company but also our Motherland - India.



FACTORY



ASSEMBLY AREA



TESTING FACILITY



PU PAINT



POWDER COATING



CNC MACHINE

# INDEX

## INDOOR LIGHTING

LED COB SPOT LIGHT	04-09
LED SURFACE/SUSPENDED SPOT LIGHT	11
BACKLIT SMD DOWN LIGHT	13
LED SMD PANEL LIGHT	14-15
LED TRACK LIGHT	17
LED FLEXIBLE STRIP LIGHT	19-20
LED POWER SUPPLY	20
LED T5/T8 TUBE LIGHT	21
EMPTY PROFILE WITHOUT LED	22
ALUMINIUM SURFACE PROFILE WITH LED	23
ALUMINIUM RECESSED PROFILE WITH LED	24

## OUTDOOR LIGHTING

LED OUTDOOR WALL LIGHT	26-28
LED CEILING SURFACE LIGHT	28
FLOOR WASHER	30-32
COLUMN LIGHT	33
LED SPIKE / GARDEN LIGHT	33
LED BOLLARD LIGHT	35-37
MODERN POLE LIGHT	39
MODERN STREET LIGHT	40
CLASSIC POLE LIGHT	41-42
POST TOP	43
LED FLOOD LIGHT	45-46
LED STREET LIGHT	48-49
LED HIGHBAY LIGHT	50
IP RATED CEILING LIGHT	51
SPECIAL PROMOTIONAL ITEMS	52-55
TERMS & CONDITIONS	57





## NISARG DIGI-NEST WIRELESS INTELLIGENT LIGHTING

### Nisarg Light – A Leap into Digitally Connected Lighting world

Nisarg “Digi-Nest” an intelligent Digital Nest which facilitates inter-connection of lighting fixtures through Internet and transforms the way we Light our Dream Home. You would fall in love with Nisarg “Digi Nest’s” user-friendly mobile app and its smart lighting system.

Nisarg “Digi Nest” is an app based Lighting technology designed to give a “Connected” lighting experience in complete sync with your Lighting mood and the required ambience. It is app based wireless solution which ensures better Energy Efficiency and Ease of Use. This may include high efficiency fixtures and automated controls to turn on or dim the lights without leaving your sofa or change the mood by switching from Warmer to cooler light (Tune from 2700k – 6500k).



App Based Control Available



Energy Efficient



App Control



Warm to Cool



Bluetooth low energy mesh



Dimmable



Create your own Ambience

# DETACHO

**nisarg light**<sup>®</sup>  
DESIGNED FOR SMART LIVING

LED COB Spot Light  
NL 1158



## Features

- Detachable Ring
- Rose Gold/Chrome/Matt Black/Black Nickel Reflector
- Slim Trim Design
- High PF Driver
- Surge Protection > 2.5KV
- Protection Rating : IP20
- CRI > 80
- Colour Options : 3K, 4K, 6K, TW
- Supported by Digi-Nest
- Long Life & Low Maintenance

**LED COB SPOT LIGHT**



**STAR**



**NL 1010A**

9W COB LED Lamp  
Colour : 3K/4K/6K/TW  
IP 20  
D: 50mm  
H: 58mm

SINGLE 9W  
TW RF 9W

**NL 1012A**

12W COB LED Lamp  
Colour : 3K/4K/6K/TW  
P 20  
D: 50mm  
H: 100mm

SINGLE 12W  
TW RF 12W

**BLAZE**



**NL 1154**

7W COB LED  
Colour : 3K/4K/6K/TW | IP 20  
D: 75mm | H : 70mm | C : 65mm  
WH Body+Rose Gold/Chrome Ref.  
BK Body+Rose Gold/Chrome Ref.


SINGLE 7W  
TW RF 7W



**NL 1142CR-13W**

13W COB LED  
Colour : 3K/4K/6K//TW | IP 20  
D:85mm | H :80mm | C :76mm  
WH Body+Rose Gold/Chrome Ref.  
BK Body+Rose Gold/Chrome Ref.

SINGLE 13W  
SINGLE 13W  
TW RF 13W



**NL 1142CR-15W**

15W COB LED  
Colour : 3K/4K/6K//TW | IP 20  
D:85mm | H :80mm | C :76mm  
WH Body+Rose Gold/Chrome Ref.  
BK Body+Rose Gold/Chrome Ref.

SINGLE 15W  
TW RF 15W

**TUNABLE REMOTE / CONTROL PANEL**



**A** RF Tunable Controller For Above Tunable Light Fixtures

**B** RF Wall Scene Control Panel For Above Tunable Light Fixtures

**C** RF Bluetooth Mesh



**LED COB SPOT LIGHT**

**BRILLIANT**



13W/15W  
NL 1142



7W 13W/15W 20W  
NL 1143



12W  
NL 1144

**NL 1142-13W**

13W COB LED  
Colour : 3K/4K/6K/TW | IP 20  
D: 85mm | H : 80mm | C : 76mm  
White Body / Black Body  
Reflector Option :  
White/Black/Gray

SINGLE 13W  
SINGLE 13W  
TW RF 13W

**NL 1143-7W**

7W COB LED  
Colour : 3k/4K/6K/TW | IP 20  
D: 68mm | H : 65mm  
C : 60mm  
Finish : White / Black

SINGLE 7W  
TW RF 7W

**NL 1143-15W**

15W COB LED  
Colour : 3k/4K/6K/TW | IP 20  
D: 85mm | H : 75mm  
C : 75mm  
Finish : White / Black

SINGLE 15W  
TW RF 15W

**NL 1144**

12W COB LED  
Colour : 3k/4K/6K/TW | IP 20  
D: 85mm | H : 75mm  
C : 75mm

SINGLE 12W  
TW RF 12W

**NL 1142-15W**

15W COB LED  
Colour : 3K/4K/6K/TW | IP 20  
D: 85mm | H : 80mm | C : 76mm  
White Body / Black Body  
Reflector Option :  
White/Black/Gray

SINGLE 15W  
TW RF 15W

**NL 1143-13W**

13W COB LED  
Colour : 3k/4K/6K/TW | IP 20  
D: 85mm | H : 75mm  
C : 75mm  
Finish : White / Black

SINGLE 13W  
SINGLE 13W  
TW RF 13W

**NL 1143-20W**

20W COB LED  
Colour : 3k/4K/6K/TW | IP 20  
D: 95mm | H : 100mm  
C : 86mm  
Finish : White / Black

SINGLE 20W  
TW RF 20W

*“Maybe you have to know the darkness before you can appreciate the light.”*

Madeline L'Engle

**DETACHO**



**NL 1158**

9W COB LED  
Colour : 3K/4K/6K/TW | IP 20  
D: 90mm | H :90mm | C: 80mm  
WH Body+Rose Gold/Chrome Ref./Matt Black/Black Nickel  
BK Body+Rose Gold/Chrome Ref./Matt Black/Black Nickel

SINGLE 9W  
TW RF 9W

**NL 1158**

12W COB LED  
Colour : 3K/4K/6K/TW | IP 20  
D: 90mm | H :125mm | C: 80mm  
WH Body+Rose Gold/Chrome Ref./Matt Black/Black Nickel  
BK Body+Rose Gold/Chrome Ref./Matt Black/Black Nickel

SINGLE 12W  
TW RF 12W

**NEW FAITH**



**NL 1175-7W**

7W COB LED  
Colour : 3K/4K/6K/TW | IP 20  
D: 63mm | H : 56mm | C :53mm  
Finish:  
WH Body+Rose Gold/BKRef.  
BK Body+Rose Gold/BK Ref

SINGLE 7W  
TW RF 7W

**NL 1175-12W**

12W COB LED  
Colour : 3K/4K/6K/TW | IP 20  
D: 83mm | H : 72mm | C :75mm  
Finish:  
WH Body+Rose Gold/BKRef.  
BK Body+Rose Gold/BK Ref

SINGLE 12W  
TW RF 12W

**NL 1175-18W**


18W COB LED  
Colour : 3K/4K/6K/TW | IP 20  
D: 115mm | H : 87mm | C :95mm  
Finish:  
WH Body+Rose Gold/BKRef.  
BK Body+Rose Gold/BK Ref

SINGLE 18W  
TW RF 18W








**LED COB SPOT LIGHT**

<p><b>NEW TRUST</b></p> 	<p><b>NL 1177-7W</b></p> <p>7W COB LED Colour : 3K/4K/6K/TW   IP 20 D: 68x68mm   H : 75mm C : 61x61mm Finish: WH</p> <p>SINGLE 7W TW RF 7W</p>	<p><b>NL 1177-12W</b></p> <p>12W COB LED Colour : 3K/4K/6K/TW   IP 20 D: 80x80mm   H : 85mm C : 73x73mm Finish: WH</p> <p>SINGLE 12W TW RF 12W</p>
---	--	--

<p><b>NEW</b></p> 	<p><b>NL 1176-7W</b></p> <p>7W COB LED Colour : 3K/4K/6K/TW   IP 20 D: 57mm   H : 76mm   C : 51mm Finish : WH</p> <p>SINGLE 7W TW RF 7W</p>	<p><b>NL 1176-12W</b></p> <p>12W COB LED Colour : 3K/4K/6K/TW   IP 20 D: 69mm   H : 96mm   C : 61mm Finish: WH</p> <p>SINGLE 12W TW RF 12W</p>
---	---	--

<p><b>NEW</b></p> 	<p><b>NL 1178-7W</b></p> <p>7W COB LED Colour : 3K/4K/6K/TW   IP 20 D: 40mm   H : 58mm   C : 35mm Finish : WH / BK</p> <p>SINGLE 7W TW RF 7W</p>	<p><b>NL 1178-11W</b></p> <p>11W COB LED Colour : 3K/4K/6K/TW   IP 20 D: 58mm   H : 88mm   C : 52mm Finish : WH / BK</p> <p>SINGLE 11W TW RF 11W</p>
--	--	--

<p><b>NEW</b></p> 	<p><b>NL 1174-9W</b></p> <p>9W Round LED Colour : 3K/4K/6K/TW   IP 20 D: 65mm   H : 60mm   C : 54mm Finish : WH / BK</p> <p>SINGLE 9W TW RF 9W</p>	<p>Where there is darkness, let there be light.</p> <p>For more info</p> 
---	--	---

<p><b>NEW</b></p> 	<p><b>NL 1179-7W</b></p> <p>7W COB LED Colour : 3K/4K/6K/TW   IP 20 D: 57mm   H : 72mm   C : 48mm Finish : WH / BK</p> <p>SINGLE 7W TW RF 7W</p>	
	<p><b>NL 1179-11W</b></p> <p>11W COB LED Colour : 3K/4K/6K/TW   IP 20 D: 68mm   H : 78mm   C : 58mm Finish : WH / BK</p> <p>SINGLE 11W TW RF 11W</p>	

<p><b>NEW HONEST</b></p>  	<p><b>NL 1173-12W</b></p> <p>12W LED Wall Washer Colour : 3K/4K/6K/TW   IP 20 D: 85mm   H : 70mm   C : 72mm Finish : WH / BK</p> <p>SINGLE 12W TW RF 12W</p>
	<p><b>NL 1173-20W</b></p> <p>20W LED Wall Washer Colour : 3K/4K/6K/TW   IP 20 D: 108mm   H : 86mm   C : 92mm Finish : WH / BK</p> <p>SINGLE 20W TW RF 20W</p>



**LED COB SPOT LIGHT**



**GLEAM**



**NL 1055-15W**

15W COB LED  
Colour : 3K/4K/6K/TW | IP 20  
D: 100mm | H : 75mm  
C : 85mm

SINGLE 15W  
TW RF 15W

**NL 1055-20W**

20W COB LED  
Colour : 3K/4K/6K/TW | IP 20  
D: 100mm | H : 75mm  
C : 85mm

SINGLE 20W  
TW RF 20W



**NL 1024-7W**

7W COB LED  
Colour : 3K/4K/6K/TW | IP 20  
D: 64mm | H : 67mm  
C : 58mm

SINGLE 7W  
TW RF 7W

**NL 1024-9W**

9W COB LED  
Colour : 3K/4K/6K/TW | IP 20  
D: 64mm | H : 67mm  
C : 58mm

SINGLE 9W  
TW RF 9W

**GLOW**



**NL 1035-9W**

9W COB LED  
Colour : 3K/4K/6K/TW | IP 20  
D: 82mm | H : 80mm  
C : 72mm

SINGLE 9W  
TW RF 9W

**NL 1035-13W**

13W COB LED  
Colour : 3K/4K/6K/TW | IP 20  
D: 82mm | H : 120mm  
C : 72mm

SINGLE 13W  
TW RF 13W



**NEW**

**NL 1149**

9W COB LED  
Colour : 3K/4K/6K/TW | IP 20  
D: 91mm | H : 105mm  
C : 83mm

SINGLE 9W  
TW RF 9W



**LED COB SPOT LIGHT**



**DREAM**



**NL 1190-1**

3W High Power LED  
Colour : 3K/4K/6K | IP 20  
D: 45x45mm | H :49mm  
C: 37x37mm  
Finish : White

SINGLE 3W

**NL 1190-2**

6W High Power LED  
Colour : 3K/4K/6K | IP 20  
D: 75x45mm | H :49mm  
C: 68x37mm  
Finish : White

SINGLE 6W

**NL 1190-5**

10W High Power LED  
Colour : 3K/4K/6K/TW | IP 20  
D: 147x45mm | H :49mm  
C: 140x37mm  
Finish : White | Black

SINGLE 10W

TW RF 10W



**GIMBO**



**NL 1112**

9W COB  
IP 20  
Colour: 3K/4K/6K/TW  
D: 90x90 mm | H: 70mm  
C: 72x72mm

SINGLE 9W

TW RF 9W

**NL 1113**

2x9W COB  
IP 20  
Colour Temp : 3K/4K/6K/TW  
D: 160x90mm | H: 70mm  
C: 148x74mm

SINGLE 2x9W

TW RF 2x9W



**NL 1135**

9W COB LED  
Colour -3K/4K/6K/TW | IP 20  
D: 113X113mm  
H: 80mm | C: 103X103mm

SINGLE 9W

TW RF 9W

**NL 1136**

2x9W COB LED  
Colour -3K/4K/6K/TW | IP 20  
D: 210x113mm  
H: 80mm | C: 192x92mm

SINGLE 2x9W

TW RF 2x9W



**NL 1140-15W**

15W COB LED  
Colour -3K/4K/6K/TW | IP 20  
D: 175x175mm  
H:120mm | C: 165x165mm

SINGLE 15W

TW RF 15W

**NL 1140-24W**

24W COB LED  
Colour -3K/4K/6K/TW | IP 20  
D: 175x175mm  
H:120mm | C: 165x165mm

SINGLE 24W

TW RF 24W



**NL 1141-2x15W**

2x15W COB LED  
Colour -3K/4K/6K/TW | IP 20  
D: 324x175mm  
H:120mm  
C: 310x165mm

SINGLE 2x15W

TW RF 2x15W

**NL 1141-2x24W**

2x24W COB LED  
Colour -3K/4K/6K/TW | IP 20  
D: 324x175mm  
H:120mm  
C: 310x165mm

SINGLE 2x24W

TW RF 2x24W

**LED COB SPOT LIGHT**



**NICHE**



**NL 2220**

2W COB LED  
Colour - 3K | IP 20  
D: 42mm | H: 17mm  
C: Ø35mm

**NL 2221N**

3W COB LED  
Colour : 3K/4K  
IP 20  
D: 42mm | H : 30mm | C : 32mm



NL 2220

NL 2221N

NL 1008

**NL 1008**

3W Hi-Power LED Ceiling  
Colour : 3k/4k | IP 20  
D: 42mm | H: 32mm  
C: 34mm



**FLAME**



**NL 2191-3W**

3W COB LED  
Colour - 3K/4K | IP 20  
D: 68mm H: 36mm  
C: Ø55mm

**NL 2191-6W**

6W COB LED  
Colour - 3K/4K | IP 20  
D: 85mm H: 45mm  
C: Ø70mm



3W

6W

9W

**NL 2191-9W**

9W COB LED  
Colour - 3K/4K | IP 20  
D: 100mm H: 54mm  
C: Ø85mm

**NL 2191-24W**

24W COB LED  
Colour - 3K/4K | IP 20  
D: 120mm H: 75mm  
C: Ø105mm




24W

30W

**NL 2191-30W**

30W COB LED  
Colour - 3K/4K | IP 20  
D: 138mm H: 80mm  
C: Ø120mm



For Nisarg Mesh (IOT- Mobile app) Compatible Product's DLP, Please Add Rs. 1000.00 on DLP



# TORCH

**nisarg light**<sup>®</sup>

DESIGNED FOR SMART LIVING

LED COB SURFACE / SUSPENDED LIGHT

NL 1156



## Features

- Aluminium Housing
- Rose Gold and Chrome reflector option available
- High PF Driver
- Surge Protection > 2.5KV
- Protection Rating : IP20
- CRI > 80
- Colour Options : 3K, 4K, 6K
- Long Life & Low Maintenance

**LED COB SURFACE / SUSPENDED LIGHT**



**TORCH**



**NL 1156**  
7W COB LED Ceiling **Surface**  
Mounted Spot Light  
Colour -3K/4K/6K | IP 20  
D: 52mm | H:90mm  
White Body + Rose Gold / Chrome Ref.  
Black Body + Rose Gold / Chrome Ref.

7W

**NL 1156S**  
7W COB LED Ceiling **Suspended**  
Spot Light, Colour -3K/4K/6K | IP 20  
D: 52mm | H:90mm  
White Body + Rose Gold / Chrome Ref.  
Black Body + Rose Gold / Chrome Ref.  
1 MTR Suspension Cable Included

7W

**NL 1145**  
15W COB LED Ceiling **Surface**  
Mounted Spot Light  
Colour -3K/4K/6K | IP 20  
D: 80mm | H:150mm  
White Body + Rose Gold / Chrome Ref.  
Black Body + Rose Gold / Chrome Ref.

15W

**NL 1145S**  
15W COB LED Ceiling **Suspended**  
Spot Light, Colour -3K/4K/6K | IP 20  
D: 80mm | H:150mm  
White Body + Rose Gold / Chrome Ref.  
Black Body + Rose Gold / Chrome Ref.  
1 MTR Suspension Cable Included

15W



**NL 1155**  
25W COB LED Ceiling **Surface**  
Mounted Spot Light  
Colour -3K/4K/6K | IP 20  
D: 95mm | H:180mm  
White Body + Rose Gold Ref.  
Black Body + Rose Gold Ref.

25W

**NL 1155S**  
25W COB LED Ceiling **Suspended**  
Spot Light, Colour -3K/4K/6K | IP 20  
D: 95mm | H:180mm  
White Body + Rose Gold Ref.  
Black Body + Rose Gold Ref.  
1 MTR Suspension Cable Included

25W




**NL 1146**  
15W COB LED Ceiling **Surface**  
Mounted Spot Light  
Colour -3K/4K/6K | IP 20  
D: 75x75mm | H:95mm  
White Body + Rose Gold Ref.  
Black Body + Rose Gold Ref.

15W

**NL 1146S**  
15W COB LED Ceiling **Suspended**  
Spot Light, Colour -3K/4K/6K | IP 20  
D: 75x75mm | H:95mm  
White Body + Rose Gold Ref.  
Black Body + Rose Gold Ref.  
1 MTR Suspension Cable Included

15W



# FLARE

**nisarg light**<sup>®</sup>  
DESIGNED FOR SMART LIVING

## Backlit SMD Down Light NL 2252



### Features

- Aluminium Die Cast Housing
- Slim Trim Design
- Uniform Glow
- High PF Driver
- Surge Protection > 2.5KV
- Protection Rating : IP20
- CRI > 80
- Colour Options : 3K, 4K, 6K, TW
- Supported by Digi-Nest
- Long Life & Low Maintenance
- Powered by BridgeLux LED



**BACKLIT SMD DOWN LIGHT**



<b>NL 2350-12W</b>	12W SMD LED Downlight Colour : 3K/4K/6K/TW   IP 20 D: 90mm   H : 56mm   C : 85mm Finish : WH	SINGLE 12W  TW RF 12W
--------------------	---	-----------------------------

<b>NL 2350-18W</b>	18W SMD LED Downlight Colour : 3K/4K/6K/TW   IP 20 D: 100mm   H : 56mm   C : 95mm Finish : WH	SINGLE 18W  TW RF 18W
--------------------	--	-----------------------------



<b>NL 2251</b>	12W SMD LED Ceiling Deep Recessed Down Light Colour Temp : 3K/4K/6K   IP 20 <b>LED</b> : bridgelux D:119mm   H : 50 mm   C:113mm	SINGLE 12W  TW RF 10W
----------------	---	-----------------------------

<b>NL 2254</b>	12W SMD LED Ceiling Deep Recessed Down Light Colour Temp : 3K/4K/6K   IP 20 <b>LED</b> : bridgelux D:110x110mm   H : 50mm C:102x102mm	SINGLE 12W  TW RF 10W
----------------	---	-----------------------------

<b>NL 2252</b>	18W SMD LED Ceiling Deep Recessed Down Light Colour Temp : 3K/4K/6K   IP 20 <b>LED</b> : bridgelux D:155mm   H : 53mm   C:147mm	SINGLE 18W  TW RF 15W
----------------	--	-----------------------------

<b>NL 2255</b>	18W SMD LED Ceiling Deep Recessed Down Light Colour Temp : 3K/4K/6K   IP 20 <b>LED</b> : bridgelux D:145x145mm   H : 54mm C:136x136mm	SINGLE 18W  TW RF 15W
----------------	---	-----------------------------



<b>NL 2253</b>	24W SMD LED Ceiling Deep Recessed Down Light Colour Temp : 3K/4K/6K   IP 20 <b>LED</b> : bridgelux D:175mm   H : 56mm   C: 167mm	SINGLE 24W  TW RF 24W
----------------	---	-----------------------------

<b>NL 2256</b>	24W SMD LED Ceiling Deep Recessed Down Light Colour Temp : 3K/4K/6K   IP 20 <b>LED</b> : bridgelux D:170x170mm   H : 54mm C: 159x159mm	SINGLE 24W  TW RF 22W
----------------	--	-----------------------------




<b>NL 2242</b>	15W SMD LED Slim Trim PC Panel Light Colour : 6K   IP 20 D: 162mm   H: 30mm C: 146mm	15W
----------------	---	-----

<b>NL 2245</b>	15W SMD LED Slim Trim PC Panel Light Colour : 4K   IP 20 D: 162x162mm   H: 30mm C: 146x146mm	15W
----------------	---	-----

<b>NL 2243</b>	22W SMD LED Slim Trim PC Panel Light Colour : 4K/6K   IP 20 D: 215mm   H: 33mm C: 203mm	22W
----------------	--	-----

<b>NL 2246</b>	22W SMD LED Slim Trim PC Panel Light Colour : 4K   IP 20 D: 215x215mm   H: 33mm C: 203x203mm	22W
----------------	---	-----



<b>NL 2244</b>	8W SMD LED Slim Trim PC Panel Light Colour : 4K   IP 20 D: 112x112mm   H: 30mm C: 96x96mm	8W
----------------	--	----

<b>NL 2241 Acc.</b> <b>NL 2242 Acc.</b> <b>NL 2243 Acc.</b> <b>NL 2244 Acc.</b> <b>NL 2245 Acc.</b> <b>NL 2246 Acc.</b>	Surface PC Ring For Round & Square PC Panel GST@18%	
--	--	--

**LED SMD PANEL LIGHT**



**SHINE**

	<b>NL 2281</b> 12W SMD LED Colour Temp : 4K IP 20 D: 95mm   H : 35mm C: 70mm	12W
	<b>NL 2282</b> 18W SMD LED Colour Temp : 4K/6K IP 20 D: 128mm   H : 22mm C: 100mm	18W
	<b>NL 2283</b> 22W SMD LED Colour Temp : 4K/6K IP 20 D: 165mm   H : 22mm C: 138mm	22W
	<b>NL 2284</b> 12W SMD LED Panel Light Colour Temp : 4K/6K IP 20 D: 95x95mm   H : 35mm C: 70x70mm	12W
	<b>NL 2285</b> 18W SMD LED Colour Temp : 4K/6K IP 20 D: 128x128mm   H : 22mm C: 100x100mm	18W
	<b>NL 2286</b> 22W SMD LED Colour Temp : 4K/6K IP 20 D: 165x165mm   H : 22mm C: 138x138mm	22W

**GLORY**

	<b>NL 2351R-7W</b> 7W SMD LED Colour Temp : 4K/6K IP 20 D: 120mm   H : 30mm C: 108mm	SINGLE 7W
	<b>NL 2351R-15W</b> 15W SMD LED Colour Temp : 4K/6K IP20 D: 170mm   H : 30mm C: 156mm	SINGLE 15W
	<b>NL 2351R-22W</b> 22W SMD LED Colour Temp : 4K/6K IP 20 D: 225mm   H : 30mm C: 205mm	SINGLE 22W
	<b>NL 2351 SQ-7W</b> 7W SMD LED Colour Temp : 4K/6K IP 20 D: 120x120mm   H : 30mm C: 106x106mm	SINGLE 7W
	<b>NL 2351 SQ-15W</b> 15W SMD LED Colour Temp : 4K/6K IP 20 D: 170x170mm   H : 30mm   C: 156x156mm	SINGLE 15W
	<b>NL 2351 SQ-22W</b> 22W SMD LED Colour Temp : 4K/6K IP 20 D: 225x225mm   H : 30mm C: 205x205mm	SINGLE 22W

**LED SMD PANEL LIGHT**



**PLATEAU**



**NL 2353R-7W**

7W SMD LED  
Colour Temp : 4K/6K  
IP 20  
D: 110mm | H : 30mm

SINGLE 7W  
CCT SW 7W

**NL 2353SQ-7W**

7W SMD LED  
Colour Temp : 4K/6K  
IP 20  
D: 110x110mm | H : 30mm

SINGLE 7W  
CCT SW 7W

**NL 2353R-15W**

15W SMD LED  
Colour Temp : 4K/6K  
IP 20  
D: 160mm | H : 30mm

SINGLE 15W  
CCT SW 15W

**NL 2353SQ-15W**

15W SMD LED  
Colour Temp : 4K/6K  
IP 20  
D: 160x160mm | H : 30mm

SINGLE 15W  
CCT SW 15W

**NL 2353R-22W**

22W SMD LED  
Colour Temp : 4K/6K  
IP 20  
D: 225mm | H : 30mm

SINGLE 22W  
CCT SW 22W

**NL 2353SQ-22W**

22W SMD LED  
Colour Temp : 4K/6K  
IP 20  
D: 225x225mm | H : 30mm

SINGLE 22W  
CCT SW 22W

**TWILIGHT**



**NL 2354R-9W**

9W SMD LED Slim Trim  
PC Panel Light  
Colour : 4K/6K | IP 20  
D: 115mm | H: 30mm  
C: 100mm

SINGLE 9W  
CCT SW 9W

**NL 2354 SQ-9W**

9W SMD LED Slim Trim  
PC Panel Light  
Colour : 4K/6K | IP 20  
D: 115x115mm | H: 30mm  
C: 100x100mm

SINGLE 9W  
CCT SW 9W

**NL 2354R-15W**

15W SMD LED Slim Trim  
PC Panel Light  
Colour : 4K/6K | IP 20  
D: 165mm | H: 30mm  
C: 149mm

SINGLE 15W  
CCT SW 15W

**NL 2354 SQ-15W**

15W SMD LED Slim Trim  
PC Panel Light  
Colour : 4K/6K | IP 20  
D: 165x165mm | H: 30mm  
C: 149x149mm

SINGLE 15W  
CCT SW 15W

**NL 2354R-22W**

22W SMD LED Slim Trim  
PC Panel Light  
Colour : 4K/6K | IP 20  
D: 220mm | H: 30mm  
C: 204mm

SINGLE 22W  
CCT SW 22W

**NL 2354 SQ-22W**

22W SMD LED Slim Trim  
PC Panel Light  
Colour : 4K/6K | IP 20  
D: 220x220mm | H: 30mm  
C: 204x204mm

SINGLE 22W  
CCT SW 22W

**GRID**



**NL 2237**

36W SMD LED 2x2 Backlit Light  
Colour : 4K/6K  
IP 20  
D: 595x595mm | H : 30mm

36W

**NL 2354R-9W  
NL 2354R-15W  
NL 2354R-22W**

**NL 2354SQ-9W  
NL 2354SQ-15W  
NL 2354SQ-22W**

**SURFACE ACCESSORIES**

Surface PC Ring For Round & Square PC Panel





# RAY

**nisarg light**<sup>®</sup>  
DESIGNED FOR SMART LIVING

## LED SURFACE TRACK LIGHT NL 1338



### Features :

- Aluminium Die Cast Housing
- High PF Driver
- Surge Protection > 2.5KV
- Protection Rating : IP20
- CRI > 80
- Colour Options : 3K, 4K, 6K, TW
- Supported by Digi-Nest
- Long Life & Low Maintenance

**LED TRACK LIGHT**



**RAY**



**NL 1334-24W**

24W COB LED  
Colour Temp : 3K/4K/6K  
IP 20  
D: 100mm | H: 130mm

SINGLE 24W

TW RF 24W

**NL 1334-30W**

30W COB LED  
Colour Temp : 3K/4K/6K  
IP 20  
D: 100mm | H: 130mm

SINGLE 30W

TW RF 30W



**NL 1343-30W**

30W COB LED  
Colour : 3K/4K/6K  
IP20  
D: 90mm | H: 175mm

SINGLE 30W

TW RF 30W

**NL 1343-40W**

40W COB LED  
Colour : 3K/4K/6K  
IP20  
D: 90mm | H: 175mm

SINGLE 40W

TW RF 40W



**NL 1338**

12W COB LED  
Colour : 3K/4K/6K  
IP 20  
D: 70mm | H: 145mm  
Body Colour : White / Black

12W

**NL 1340**

30W COB LED  
Colour : 3K/4K/6K  
IP 20  
D: 100mm | H: 190mm  
Body Colour : White / Black

SINGLE 30W


TW 30W

**NL 1339**

20W COB LED  
Colour : 3K/4K/6K  
IP 20  
D: 87mm | H: 175mm  
Body Colour : White / Black

SINGLE 20W

TW RF 20W



**NL 1338S**

12W COB LED **Surface**  
Mounted Light  
Colour : 3K/4K/6K | IP 20  
D: 70mm | H: 145mm  
Body Colour : White / Black

SINGLE 12W

**NL 1340S**

30W COB LED **Surface**  
Mounted Light  
Colour : 3K/4K/6K | IP 20  
D: 100mm | H: 190mm  
Body Colour : White / Black

SINGLE 30W

TW RF 30W

**NL 1339S**

20W COB LED **Surface**  
Mounted Light  
Colour : 3K/4K/6K | IP 20  
D: 87mm | H: 175mm  
Body Colour : White / Black

SINGLE 20W

TW RF 20W



**1M TRACK**

Surface Mounted Track Channel  
For Track Light

**2M TRACK**

GST@18%

# RIBBON

**nisarg light**<sup>®</sup>  
DESIGNED FOR SMART LIVING

## LED FLEXIBLE STRIP LIGHT NL 5052



### Features

- SMD LED Flexible Strip
- 2835 SMD LED
- Protection Rating : IP20
- Colour Options : 3K, 4K, 6K, TW, Amber, Blue
- Self Adhesive Tape on Back
- Supported by Digi-Nest
- Long Life & Low Maintenance
- 12V DC / 24V DC Constant Voltage
- Overload and Short Circuit Protection

**LED FLEXIBLE STRIP LIGHT**



**RIBBON**



<p><b>NL 5051</b> 5W/Mtr 2835 SMD LED Flexible Strip 60LED/Mtr   IP 20   <b>10mm</b> Colour : 3K/4K/Blue Operating Voltage : 12V DC 5 Mtr Roll</p>	<p><b>NL 5052</b> 12W/Mtr 2835 SMD LED Flexible Strip 120LED/Mtr   IP 20   <b>10mm</b> Colour : 12V DC - 2.7K/3K/4K/Blue/Amber 24V DC - 3K/4K 5 Mtr Roll</p>
<p><b>NL 5053</b> 18W/Mtr 2835 SMD LED Flexible Strip 168LED/Mtr   IP20   <b>10mm</b> Colour: 3K/4K/6K Operating Voltage: 24V DC 5Mtr Roll</p>	<p><b>NEW NL 5053-N</b> 18W/Mtr 2835 SMD LED Flexible Strip 180LED/Mtr   IP20   <b>10mm</b> Colour: 3K/4K/6K Operating Voltage: 24V DC 5Mtr Roll</p>
<p><b>NL 5054</b> 24W/Mtr 2835 SMD LED Flexible Strip 240LED/Mtr   IP 20   <b>10mm</b> Colour : 3K/4K/6K Operating Voltage : 24V DC 5 Mtr Roll</p>	<p><b>NL 5056</b> 12W/Mtr 2835 SMD LED Flexible Strip 120LED/Mtr   IP 20   <b>10mm</b> Colour : 3K/4K Operating Voltage : 12V DC 5 Mtr Roll</p>
<p><b>NL 5057</b> 12W/Mtr 2835 SMD LED Flexible Strip 120LED/Mtr   IP 20   <b>5mm</b> Colour : 3K/4K Operating Voltage : 12V DC 5 Mtr Roll</p>	<p><b>NEW NL 5058</b> 15W/Mtr 2835 SMD LED Flexible Strip 240LED/Mtr   IP20   <b>10mm</b> Colour: 3K/4K/6K Operating Voltage: 12V DC 5Mtr Roll</p>
<p><b>NEW NL 5059</b> 12W/Mtr 2835 SMD LED Flexible Strip 120LED/Mtr   IP20   <b>10mm</b> Colour: <b>Tunable White</b> Operating Voltage: 12V DC 5Mtr Roll</p>	<p><b>NEW NL 5060</b> 18W/Mtr 2835 SMD LED Flexible Strip 168LED/Mtr   IP20   <b>10mm</b> Colour: <b>Tunable White</b> Operating Voltage: 12V DC 5Mtr Roll</p>



**LED FLEXIBLE STRIP LIGHT**

**IP 65 - STRIP**



**NL 5037**  
12W/Mtr SMD LED Flexible Outdoor Strip Light  
120LED/Mtr | IP65  
Colour : 3000K | 4000K  
Operating Voltage : 24V DC  
5Mtr Roll 12W

**NL 5038**  
18W/Mtr SMD LED Flexible Outdoor Strip Light  
180LED/Mtr | IP65  
Colour : 3000K | 4000K  
Operating Voltage : 24V DC  
5Mtr Roll 18W

**NL 5039**  
24W/Mtr SMD LED Flexible Outdoor Strip Light  
240LED/Mtr | IP65  
Colour : 3000K | 4000K  
Operating Voltage : 24V DC  
5Mtr Roll 24W



**NEON FLEX**



**NL 5047**  
12W/Mtr 2835 LED Neon Flex Strip Light  
120LED/Mtr | IP65  
Colour : 2700K | 3000K  
Operating Voltage : **24V DC**  
Size:- LxBxH - 5000x16x16mm  
5Mtr Roll (Without Driver) 12W

**Side Bending**

**NL 5048**  
12W/Mtr 2835 LED Neon Flex Strip Light  
120LED/Mtr | IP65  
Colour : 2700K | 3000K  
Operating Voltage : **24V DC**  
Size:- LxBxH - 5000x12x12mm  
5Mtr Roll (Without Driver) 12W


**Top Bending**

**NL 5049**  
12W/Mtr 2835 LED Neon Flex Strip Light  
120LED/Mtr | IP65  
Colour : 2700K | 3000K  
Operating Voltage : **24V DC**  
Size:- LxBxH - 5000x6x12mm  
5Mtr Roll (Without Driver) 12W


**Side Bending**

**NL 5050**  
12W/Mtr 2835 LED Neon Flex Strip Light  
120LED/Mtr | IP65  
Colour : 2700K | 3000K  
Operating Voltage : **24V DC**  
Size:- LxBxH - 5000x6x13mm  
5Mtr Roll (Without Driver) 12W

**Side Bending**



**#Aluminium Mounting Profile for Neon Flex**  
Length : 1000mm



**\*PRODUCT WILL NOT BE COVERED UNDER WARRANTY IN CASE OF WRONG BENDING**  
**\*NOT SUITABLE FOR UNDERWATER APPLICATION**

**LED DRIVER (ECO-SLIM / SUPER SLIM)**



	NL PS1-1202	24W
	NL PS1-1203	36W
LED Driver For Strip Light Non Dimmable, IP20 <b>12V DC</b>	NL PS1-1205	60W
	NL PS1-1206	78W
	NL PS1-1208	100W
	NL PS1-1210	120W
	NL PS1-1215	180W
	NL PS1-1220	240W

	NL PS1-2402	48W
	NL PS1-2403	75W
LED Driver For Strip Light Non Dimmable, IP20 <b>24V DC</b>	NL PS1-2405	120W
	NL PS1-2408	192W
	NL PS1-2410	240W



LED Driver For Strip Light Non Dimmable, IP20 <b>12V DC</b>	NL PS3-1203	36W
	NL PS3-1205	60W
	NL PS3-1210	120W

LED Driver For Strip Light Triac / 0-10V Dimmable, IP20 <b>12V   24V DC</b>	NL PS1-1208-DIM	100W
	NL PS1-2405-DIM	120W

# LED T5/T8 TUBE LIGHT VALUE




2200lm



NL 2319



**NL 4091**  
36W SMD LED Wall Light  
Colour : 6K  
IP : 65  
Body Colour : White  
LxBxH : 1200x54x32mm



36W


**NL 2319**  
20W T-5 LED Batten Tube Light  
PC Body  
IP 20  
Length: 4Feet  
Colour Temp : 4K/6.5K

20W


**EMPTY PROFILE - WITHOUT LED**




**MESSENGER**




**NL 5101**  
Surface Aluminum Profile  
Max. Length:- 2Mtr  
Milky Diffuser  
Finish : Anodized Silver  
LxBxH -2000mm x 7.6mm x 9mm




**NL 5111**  
Recessed Aluminum Profile  
Max. Length:- 2Mtr  
Milky Diffuser  
Finish : Anodized Silver  
LxBxH -2000mm x 11.2mm x 9mm




**NL 5102**  
Surface Aluminum Profile  
Max. Length:- 2Mtr  
Milky Diffuser  
Finish : Anodized Silver  
LxBxH -2000mm x 9.5mm x 12.7mm



**NL 5112**  
Recessed Aluminum Profile  
Max. Length:- 2Mtr  
Milky Diffuser  
Finish : Anodized Silver  
LxBxH -2000mm x 13.5mm x 12.7mm




**NL 5103**  
Surface Aluminum Profile  
Max. Length:- 2Mtr  
Milky Diffuser  
Finish : Anodized Silver  
LxBxH -2000mm x 17.5mm x 6.65mm



**NL 5113**  
Recessed Aluminum Profile  
Max. Length:- 2Mtr  
Milky Diffuser  
Finish : Anodized Silver  
LxBxH -2000mm x 23.81mm x 6.65mm



**NL 5120**  
Triangular Aluminum Profile  
Max. Length:- 2Mtr  
Milky Diffuser  
Finish : Anodized Silver  
LxBxH -2000mm x 15.5mm x 15.5mm






## SURFACE ALUMINUM PROFILE WITH LED




### GROOM




**NL 5101 - 12W/Mtr**  
Surface Aluminum Profile With Flexible Strip NL 5057  
Operating Voltage:- 12V DC  
CCT : 3K, 4K  
Max. Length:- 2Mtr  
Milky Diffuser | Finish : Anodized Silver  
Without Power Supply  
LxBxH -1000mm x 7.6mm x 9mm




**NL 5102 - 12W/Mtr**  
Surface Aluminum Profile With Flexible Strip NL 5057  
Operating Voltage:- 12V DC  
CCT : 3K, 4K  
Max. Length:- 2Mtr  
Milky Diffuser | Finish : Anodized Silver  
Without Power Supply  
LxBxH -1000mm x 9.5mm x 12.7mm



**NL 5103 - 18W/Mtr**  
Surface Aluminum Profile With Flexible Strip NL 5053-N  
Operating Voltage:- 24V DC  
CCT : 3K, 4K, 6K  
Max. Length:- 2Mtr  
Milky Diffuser | Finish : Anodized Silver  
Without Power Supply  
LxBxH -1000mm x 17.5mm x 6.65mm




**NL 5104 - 18W/Mtr**  
Surface Aluminum Profile With Flexible Strip NL 5053-N  
Operating Voltage:- 24V DC  
CCT : 3K, 4K, 6K  
Max. Length:- 2Mtr  
Milky Diffuser | Finish : Anodized Silver  
Without Power Supply  
LxBxH -1000mm x 16.8mm x 14.3mm



**NL 5106 - 36W/Mtr**  
Surface Aluminum Profile With Flexible Strip NL 5053-N  
Operating Voltage:- 24V DC  
CCT : 3K, 4K, 6K  
Max. Length:- 2Mtr  
Milky Diffuser | Finish : Anodized Silver  
Without Power Supply  
LxBxH -1000mm x 22.2 mm x 9.6mm



**NL 5108 - 36W/Mtr**  
Surface Aluminum Profile With Flexible Strip NL 5053-N  
Operating Voltage:- 24V DC  
CCT : 3K, 4K, 6K  
Max. Length:- 2Mtr  
Milky Diffuser | Finish : Anodized Silver  
Without Power Supply  
LxBxH -1000mm x 35mm x 20mm



**NL 5109 - 54W/Mtr**  
Surface Aluminum Profile With Flexible Strip NL 5053-N  
Operating Voltage:- 24V DC  
CCT : 3K, 4K, 6K  
Max. Length:- 2Mtr  
Milky Diffuser | Finish : Anodized Silver  
Without Power Supply  
LxBxH -1000mm x 50 mm x 20mm




**NL 5120 - 18W/Mtr**  
Triangular Aluminum Profile With Flexible Strip NL 5053-N  
Operating Voltage:- 24V DC  
CCT : 3K, 4K, 6K  
Max. Length:- 2Mtr  
Milky Diffuser | Finish : Anodized Silver  
Without Power Supply  
LxBxH -1000mm x 15.5mm x 15.5mm



## ALUMINIUM RECESSED PROFILE - WITH LED



### DIVINE




**NL 5111 - 12W/Mtr**  
Recessed Aluminum Profile With Flexible Strip NL 5057  
Operating Voltage:- 12V DC  
CCT : 3K, 4K  
Max. Length:- 2Mtr  
Milky Diffuser | Finish : Anodized Silver  
Without Power Supply  
LxBxH -1000mm x 11.2mm x 9mm



**NL 5112 - 12W/Mtr**  
Recessed Aluminum Profile With Flexible Strip NL 5057  
Operating Voltage:- 12V DC  
CCT : 3K, 4K  
Max. Length:- 2Mtr  
Milky Diffuser | Finish : Anodized Silver  
Without Power Supply  
LxBxH -1000mm x 13.5mm x 12.7mm




**NL 5113 - 18W/Mtr**  
Recessed Aluminum Profile With Flexible Strip NL 5053-N  
Operating Voltage:- 24V DC  
CCT : 3K, 4K, 6K  
Max. Length:- 2Mtr  
Milky Diffuser | Finish : Anodized Silver  
Without Power Supply  
LxBxH -1000mm x 23.81mm x 6.65mm




**NL 5114 - 18W/Mtr**  
Recessed Aluminum Profile With Flexible Strip NL 5053-N  
Operating Voltage:- 24V DC  
CCT : 3K, 4K, 6K  
Max. Length:- 2Mtr  
Milky Diffuser | Finish : Anodized Silver  
Without Power Supply  
LxBxH -1000mm x 24.2mm x 14.3mm



**NL 5115 - 36W/Mtr**  
Recessed Aluminum Profile With Flexible Strip NL 5053-N  
Operating Voltage:- 24V DC  
CCT : 3K, 4K, 6K  
Max. Length:- 2Mtr  
Milky Diffuser | Finish : Anodized Silver  
Without Power Supply  
LxBxH -1000mm x 30.2 mm x 9.6mm



**NL 5116 - 36W/Mtr**  
Recessed Aluminum Profile With Flexible Strip NL 5053-N  
Operating Voltage:- 24V DC  
CCT : 3K, 4K, 6K  
Max. Length:- 2Mtr  
Milky Diffuser | Finish : Anodized Silver  
Without Power Supply  
LxBxH -1000mm x 39.6mm x 26mm



**NL 5117 - 36W/Mtr**  
Recessed Aluminum Profile With Flexible Strip NL 5053-N  
Operating Voltage:- 24V DC  
CCT : 3K, 4K, 6K  
Max. Length:- 2Mtr  
Milky Diffuser | Finish : Anodized Silver  
Without Power Supply  
LxBxH -1000mm x 50 mm x 20mm




**NL 5118 - 54W/Mtr**  
Recessed Aluminum Profile With Flexible Strip NL 5053-N  
Operating Voltage:- 24V DC  
CCT : 3K, 4K, 6K  
Max. Length:- 2Mtr  
Milky Diffuser | Finish : Anodized Silver  
Without Power Supply  
LxBxH -1000mm x 65mm x 20mm

# INDIANA

**nisarg light**<sup>®</sup>  
DESIGNED FOR SMART LIVING

**LED OUTDOOR WALL LIGHT**  
**NL 4106**







## Features

- Aluminium Housing
- Uniform Glow
- High PF Driver
- Surge Protection > 2.5KV
- Protection Rating : IP54
- CRI > 80
- Colour : 3000K
- In-built Driver

**LED OUTDOOR WALL LIGHT**



**INDIANA**

 <p>NL 4100 NL 4101</p>	<p><b>NL 4100</b> 5W SMD LED Wall Mounted Light Aluminium Die Cast &amp; PC Diffuser Colour : 3000k   IP 54 Body Colour: Matt Black LxBxH: 180X112X34mm</p> <p>5W</p>	<p><b>NL 4101</b> 5W SMD LED Wall Mounted Light Aluminium Die Cast &amp; PC Diffuser Colour : 3000k   IP 54 Body Colour: Matt Black LxBxH: 160X102X34mm</p> <p>5W</p>
 <p>NL 4102 NL 4103</p> <p>Adjustable</p>	<p><b>NL 4102</b> 9W SMD LED Wall Mounted Light Aluminium Die Cast &amp; PC Diffuser Colour : 3000k   IP 54 Body Colour: Matt Black LxBxH: 80X78X170mm</p> <p>9W</p>	<p><b>NL 4103</b> 9W SMD LED Wall Mounted Light Aluminium Die Cast &amp; PC Diffuser Colour : 3000k   IP 54 Body Colour: Matt Black LxBxH: 70X78X188mm</p> <p>9W</p>
 <p>NL 4104 NL 4105</p>	<p><b>NL 4104</b> 9W SMD LED Wall Mounted Light Aluminium Die Cast &amp; PC Diffuser Colour : 3000k   IP 54 Body Colour: Matt Black O : 145mm / H: 53mm</p> <p>9W</p>	<p><b>NL 4105</b> 9W SMD LED Wall Mounted Light Aluminium Die Cast &amp; PC Diffuser Colour : 3000k   IP 54 Body Colour: Matt Black LxBxH : 135x135x48mm</p> <p>9W</p>
 <p>NL 4106 NL 4107 NL 4108 NL 4109</p>	<p><b>NL 4106</b> 6W SMD LED Wall Mounted Light Aluminium Die Cast &amp; PC Diffuser Colour : 3000k   IP 54 Body Colour: Matt Black LxBxH : 140x65x105mm</p> <p>6W</p>	<p><b>NL 4107</b> 6W SMD LED Wall Mounted Light Aluminium Die Cast &amp; PC Diffuser Colour : 3000k   IP 54 Body Colour: Matt Black LxBxH : 140x65x105mm</p> <p>6W</p>
<p><b>NL 4108</b> 9W SMD LED Wall Mounted Light Aluminium Die Cast &amp; PC Diffuser Colour : 3000k   IP 54 Body Colour: Matt Black LxBxH : 180x80x125mm</p> <p>9W</p>	<p><b>NL 4109</b> 9W SMD LED Wall Mounted Light Aluminium Die Cast &amp; PC Diffuser Colour : 3000k   IP 54 Body Colour: Matt Black LxBxH : 180X80x125mm</p> <p>9W</p>	

## LED OUTDOOR WALL LIGHT

### AMAZE




**NL 4110**  
9W SMD LED Wall Mounted Light  
Aluminium Die Cast & PC Diffuser  
Colour : 3000k | IP 54  
Body Colour: Matt Black  
LxBxH: 152x152x88mm

**NL 4112**  
9W SMD LED Wall Mounted Light  
Aluminium Die Cast & PC Diffuser  
Colour : 3000k | IP 54  
Body Colour: Matt Black  
LxBxH: 205x105x74mm

**NL 4113**  
2X3W SMD LED Wall Mounted light  
Aluminium Die Cast & PC Diffuser  
Colour : 3000k | IP 54  
Body Colour: Matt Black  
LxBxH: 120X70X116mm

**NL 4111**  
9W SMD LED Wall Mounted Light  
Aluminium Die Cast & PC Diffuser  
Colour : 3000k | IP 54  
Body Colour: Matt Black  
LxBxH: 74x105x205mm

**NL 4116**  
9W SMD LED Wall Mounted Light  
Aluminium Die Cast & PC Diffuser  
Colour : 3000k | IP 54  
Body Colour: Matt Black  
LxBxH: 176x90x80mm




**NL 4114**  
1X3W SMD LED Wall Mounted Light  
Aluminium Die Cast Body  
Colour : 3000k | IP 54  
Body Colour: Matt Black  
LxBxH: 88x65x38mm

**NL 4115**  
2X3W SMD LED Wall Mounted Led  
Up -down Light  
Aluminium Die Cast Body  
Colour : 3000k | IP 54  
Body Colour: Matt Black  
LxBxH: 120x65x38mm



**NL 4011**  
7W Hi Power LED Wall Mounted Light  
Material: Aluminium Die Cast &  
PC Diffuser Colour : 3000k | IP 54  
Body Colour: Matt Black  
L: 129mm | H : 94mm



**NL 4050**  
1x3W Hi Power LED wall Up Light  
Colour : 3000k | IP 54  
Body Colour: Graphite Grey  
LxBxH: 77x49x77mm

**NL 4052**  
2x3W Hi Power LED Wall Up Down  
Light  
Colour : 3000k | IP 54  
Body Colour: Matt Black  
LxBxH: 78x49x150mm

**NL 4051**  
2x3W Hi Power LED Wall Up  
Down Light Colour : 3000k | IP 54  
Body Colour: Graphite Grey  
LxBxH: 146x49x78mm



**NL 4117**  
2X3W SMD LED Wall Mounted Up -  
down Light  
Material: Aluminium Die Cast &  
PC Diffuser, Colour : 3000k | IP 54  
Body Colour: Matt Black  
LxBxH: 156x97x38mm



**NL 4053**  
6W Lens Based circular Wall Light  
Aluminium Die Cast Body  
Colour : 3000k | IP 54  
Body Colour: Graphite Black  
LxBxH: 120x63x66mm




**LED OUTDOOR WALL LIGHT**

<p><b>SCAPE</b></p> 	<p><b>NL 4163</b> 12W LED Outdoor 2Way Wall Light Aluminium Die Cast Body Colour: 3000K   IP65 Body Colour: Grey LxBxH-65x140x80mm</p> <p style="text-align: right;">12W</p>	
	<p><b>NL 4164</b> 8W LED Outdoor 2Way Wall Light Aluminium Die Cast Body Colour: 3000K   IP65 Body Colour: Grey LxBxH-62x80x50mm</p> <p style="text-align: right;">8W</p>	
	<p><b>NL 4165</b> 5W LED Outdoor 3Way Wall Light Aluminium Die Cast Body Colour: 3000K   IP65 Body Colour: Grey LxBxH-195x195x195mm</p> <p style="text-align: right;">5W</p>	
	<p><b>NL 4166</b> 5W LED Outdoor 4Way Wall Light Aluminium Die Cast Body Colour: 3000K   IP65 Body Colour: Grey LxBxH-75x75x52mm</p> <p style="text-align: right;">5W</p>	
	<p><b>NL 4167</b> 5W LED Outdoor 4Way Wall Light Aluminium Die Cast Body Colour: 3000K   IP65 Body Colour: Grey LxBxH-105x105x50mm</p> <p style="text-align: right;">5W</p>	

**LED CEILING SURFACE LIGHT**



<p><b>ABOVE</b></p> 	<p><b>NL 4180</b> 7W COB LED Ceiling Surface Mounted Spot Light Colour -3000K   IP 65 Body Colour: Black D: 65mm   H:85mm</p> <p style="text-align: right;">7W</p>	<p><b>NL 4181</b> 12W COB LED Ceiling Surface Mounted Spot Light Colour -3000K   IP 65 Body Colour: Black D: 74mm   H:100mm</p> <p style="text-align: right;">12W</p>
---	--	---




# BELIEF

## FLOOR WASHER

### NL 4172

**nisarg light**<sup>®</sup>  
DESIGNED FOR SMART LIVING









### Features

- Aluminium Die Cast Housing
- Uniform Glow
- High PF Driver
- Surge Protection > 2.5KV
- Protection Rating : IP65
- CRI > 80
- Colour : 3000K
- In-built Driver

**FLOOR WASHER**










**HARMONY**

	<p><b>NL 4161</b> 5W LED Recessed Outdoor Floor Washer Aluminium Die Cast Body Colour: 3000K   IP65 Body Colour: Grey LxBxH: 110x67x47mm</p> <p style="text-align: right;">5W</p>	<p><b>NL 4162</b> 3W LED Recessed Outdoor Floor Washer Aluminium Die Cast Body Colour: 3000K   IP65 Body Colour: Grey LxBxH: 80x70x38mm</p> <p style="text-align: right;">3W</p>
	<p><b>NL 4021</b> 3W SMD LED Recessed Floor Washer Light Aluminium Die Cast Body Colour : 3000k   IP 54 Body Colour: Matt Black D : 115mm   H : 55mm</p> <p style="text-align: right;">3W</p>	<p><b>NL 4030</b> 3W Hi Power LED Recessed Floor Washer Light Aluminium Die Cast Body Colour : 3000k   IP 54 Body Colour: Matt Black D : 70x70mm   H : 44mm</p> <p style="text-align: right;">3W</p>
	<p><b>NEW</b> <b>NL 4185</b> 5W LED Outdoor Recessed Floor Washer Aluminium Die Cast Body Colour: 3000K   IP65 Body Colour: Grey LxBxH: 130 x 35 x 80mm</p> <p style="text-align: right;">5W</p>	
	<p><b>NEW</b> <b>NL 4186</b> 5W LED Outdoor Recessed Floor Washer Aluminium Die Cast Body Colour: 3000K   IP65 Body Colour: Grey LxBxH: 150 x 40 x 75mm</p> <p style="text-align: right;">5W</p>	
	<p><b>NEW</b> <b>NL 4187</b> 5W LED Outdoor Surfaced Floor Washer Aluminium Die Cast Body Colour: 3000K   IP65 Body Colour: Grey LxBxH: 65 x 75 x 80mm</p> <p style="text-align: right;">5W</p>	
	<p><b>NEW</b> <b>NL 4188</b> 5W LED Surface Spot Light Aluminium Die Cast Colour : 3000k   IP 65 Body Colour: Black D : 58mm   H : 16mm</p> <p style="text-align: right;">5W</p>	

**FLOOR WASHER**



**BELIEF**

<p><b>NEW</b></p> 	<p><b>NL 4170</b> 4W LED Outdoor Surface Floor Washer Aluminium Die Cast Body Colour: 3000K   IP65 Body Colour: Black LxBxH-90x60x40mm</p> <p>4W</p>	<p><b>NL 4171</b> 8W LED Outdoor Surface Floor Washer Aluminium Die Cast Body Colour: 3000K   IP65 Body Colour: Black LxBxH-150x70x45mm</p> <p>8W</p>
<p><b>NEW</b></p> 	<p><b>NL 4172</b> 4W LED Outdoor Surface Floor Washer Aluminium Die Cast Body Colour: 3000K   IP65 Body Colour: Black LxBxH : 130x55x30mm</p> <p>4W</p>	<p><b>NL 4173</b> 8W LED Outdoor Surface Floor Washer Aluminium Die Cast Body Colour: 3000K   IP65 Body Colour: Black LxBxH : 170x60x30mm</p> <p>8W</p>
<p><b>NEW</b></p> 	<p><b>NL 4190</b> 3W LED Outdoor Surface Floor Washer PC Body Colour: 3000K   IP65 Body Colour: Grey LxBxH : 230 x 80 x 30 mm</p> <p>3W</p>	
<p><b>NEW</b></p> 	<p><b>NL 4191</b> 5W LED Outdoor Surface Floor Washer PC Body Colour: 3000K   IP65 Body Colour: Grey LxBxH : 230 x 80 x 30 mm</p> <p>5W</p>	
<p><b>NEW</b></p> 	<p><b>NL 4192</b> 5W LED Outdoor surface Floor Washer PC Body Colour: 3000K   IP65 Body Colour: Grey LxBxH : 123 x 123 x 30mm</p> <p>5W</p>	
<p><b>NEW</b></p> 	<p><b>NL 4193</b> 5W LED Outdoor surface Floor Washer PC Body Colour: 3000K   IP65 Body Colour: Grey D : 147 H : 27mm</p> <p>5W</p>	



**FLOOR WASHER**




**SEEK**



**NL 4194**  
3W LED Outdoor surface Floor Washer  
PC Body  
Colour: 3000K | IP65  
Body Colour: Grey  
LxBxH : 123 x 123 x 30mm  
3W




**NL 4195**  
3W LED Outdoor surface Floor Washer  
PC Body  
Colour: 3000K | IP65  
Body Colour: Grey  
D : 147 H : 27mm  
3W



**NL 4196**  
4W LED Outdoor surface Floor Washer  
PC Body  
Colour: 3000K | IP65  
Body Colour: Grey  
D : 140 H : 60mm  
4W



**NL 4197**  
4W LED Outdoor surface Floor Washer  
PC Body  
Colour: 3000K | IP65  
Body Colour: Grey  
D : 140 H : 55mm  
4W



**NL 4198**  
4W LED Outdoor surface Floor Washer  
PC Body  
Colour: 3000K | IP65  
Body Colour: Grey  
D : 140 H : 60mm  
4W



**NL 4199**  
4W LED Outdoor surface Floor Washer  
PC Body  
Colour: 3000K | IP65  
Body Colour: Grey  
D : 140 H : 55mm  
4W



**COLUMN LIGHT**



**CREDESCENCE**



NL 4061      NL 4062

Without Lamp

**NL 4061**  
E-27 LED Gate Light  
Aluminium Die Cast Body ,  
Frosted Pc Diffuser  
IP 54  
Body Colour: Matt Black  
D : 172mm | H : 190mm

**NL 4062**  
E-27 LED Gate Light  
Aluminium Die Cast Body,  
Frosted Pc Diffuser  
IP 54  
Body Colour: Matt Black  
D : 170mm | H : 185mm



NL 4063      NL 4064

Without Lamp

**NL 4063**  
E-27 LED Gate Light  
Aluminium Die Cast Body,  
Frosted Pc Diffuser  
IP 54  
Body Colour: Matt Black  
D : 227x227mm | H : 255mm

**NL 4064**  
E-27 LED Gate Light  
Aluminium Die Cast Body,  
Frosted Pc Diffuser  
IP 54  
Body Colour: Matt Black  
D : 170x170mm | H : 225mm

**LED SPIKE/GARDEN LIGHT**



**NEW**

**NL 4319**  
5W LED Outdoor Spike Light  
Aluminium Die Cast  
Colour : 3000k | IP 65  
Body Colour: Black      5W

**NEW**

**NL 4318**  
10W LED Outdoor Spike Light  
Aluminium Die Cast  
Colour : 3000k | IP 65  
Body Colour: Black      10W



**NL 4320**  
5W COB LED Spike Light  
Colour : 3K/Green | IP : 65  
Body Colour : Black      5W  
D: 60mm | H: 346mm



# HOPE

## LED BOLLARD LIGHT

### NL 4059

**nisarg light**<sup>®</sup>  
DESIGNED FOR SMART LIVING



### Features

- Aluminium Housing & PC Diffuser
- Uniform Glow
- High PF Driver
- Surge Protection > 2.5KV
- Protection Rating : IP54
- CRI > 80
- Colour : 3000K
- In-built Driver

**LED BOLLARD LIGHT**



**HOPE**



<p><b>NL 4056</b> 9W SMD LED Bollard Light Aluminium Die Cast &amp; PC Diffuser Colour : 3000K   IP 54 Body Colour: Matt Black D : 85x85mm   H: 650mm</p>	<p><b>NL 4057</b> 9W SMD LED Bollard Light Aluminium Die Cast &amp; PC Diffuser Colour : 3000K   IP 54 Body Colour: Matt Black D : 90mm   H: 650mm</p>
<p><b>NL 4058</b> 9W SMD LED Bollard Light Aluminium Die Cast &amp; PC Diffuser Colour : 3000K   IP 54 Body Colour: Matt Black D : 85x85mm   H: 650mm</p>	<p><b>NL 4059</b> 7W SMD LED Bollard Light Aluminium Die Cast &amp; PC Diffuser Colour : 3000K   IP 54 Body Colour: Matt Black D : 85x85mm   H: 650mm</p>

**CONCORD**



<p><b>NL 4066</b> 10W SMD LED Bollard Light Aluminium Die Cast Body Colour : 3000K   IP 54 Body Colour: Matt Black D : 70mm   H: 390mm</p>
<p><b>NL 4065</b> 10W SMD LED Bollard Light Aluminium Die Cast Body Colour : 3000K   IP 54 Body Colour: Matt Black D : 70mm   H: 508mm</p>



<p><b>NL 4067</b> 10W SMD LED Bollard Light Aluminium Die Cast Body Colour : 3000K   IP 54 Body Colour: Matt Black D : 150mm   H: 600mm</p>
<p><b>NL 4068</b> 10W SMD LED Bollard Light Aluminium Die Cast Body Colour : 3000K   IP 54 Body Colour: Matt Black D : 90mm   H: 600mm</p>





**LED BOLLARD LIGHT**



**DESTINY**



**NL 4095-A**  
E27 LED Lamp Bollard Light  
Aluminium Die Cast & Milky Diffuser  
IP 65  
Body Colour: Grey  
D: 175mm | H-295mm

**NL 4095-B**  
E27 LED Lamp Bollard Light  
Aluminium Die Cast & Milky Diffuser  
IP 65  
Body Colour: Grey  
D: 175mm | H-650mm

**NL 4095-C**  
E27 LED Lamp Bollard Light  
Aluminium Die Cast & Milky Diffuser  
IP 65  
Body Colour: Grey  
D: 175mm | H-800mm



**NL 4096-A**  
E27 LED Lamp Bollard Light  
Aluminium Die Cast & Milky Diffuser  
IP 65  
Body Colour: Grey  
D: 128mm | H-300mm

**NL 4096-B**  
E27 LED Lamp Bollard Light  
Aluminium Die Cast & Milky Diffuser  
IP 65  
Body Colour: Grey  
D: 128mm | H-500mm

**NL 4096-C**  
E27 LED Lamp Bollard Light  
Aluminium Die Cast & Milky Diffuser  
IP 65  
Body Colour: Grey  
D: 128mm | H-800mm



**NL 4097-A**  
E27 LED Lamp Bollard Light  
Aluminium Die Cast & Milky Diffuser  
IP 65  
Body Colour: Grey  
D: 85mm | H-300mm

**NL 4097-B**  
E27 LED Lamp Bollard Light  
Aluminium Die Cast & Milky Diffuser  
IP 65  
Body Colour: Grey  
D: 85mm | H-500mm

**NL 4097-C**  
E27 LED Lamp Bollard Light  
Aluminium Die Cast & Milky Diffuser  
IP 65  
Body Colour: Grey  
D: 85mm | H: 800mm



**NL 4098-A**  
E27 LED Gate Light  
Aluminium Die Cast & Milky Diffuser  
IP 65  
Body Colour: Grey  
D: 220mm | H: 210mm

**NL 4099-A**  
E27 LED Gate Light  
Aluminium Die Cast & Milky Diffuser  
IP 65  
Body Colour: Grey  
D : 220x220mm | H : 210mm



**LED BOLLARD LIGHT**



Without Lamp

**NL 4098-B**  
E27 LED Lamp Bollard Light  
Aluminium Die Cast & Milky Diffuser  
IP 65  
Body Colour: Grey  
D: 220mm | H: 650mm

**NL 4098-C**  
E27 LED Lamp Bollard Light  
Aluminium Die Cast & Milky Diffuser  
IP 65  
Body Colour: Grey  
D: 220mm | H: 800mm



Without Lamp

**NL 4099-B**  
E27 LED Lamp Bollard Light  
Aluminium Die Cast & Milky Diffuser  
IP 65  
Body Colour: Grey  
D : 220x220mm | H : 650mm

**NL 4099-C**  
E27 LED Lamp Bollard Light  
Aluminium Die Cast & Milky Diffuser  
IP 65  
Body Colour: Grey  
D : 220x220mm | H : 800mm



**NL 4076-B**  
12W LED Bollard Light  
Aluminium Die Cast  
Colour : 3000K | IP 65  
Body Colour: Grey  
D : 95x95mm | H : 600mm



NL 4077

NL 4078

**NL 4077**  
12W LED Bollard Light  
Aluminium Die Cast  
Colour : 3000K | IP 65  
Body Colour: Grey  
D -150mm |H : 600mm | Pole Dia : 60mm

**NL 4078**  
12W LED Bollard Light  
Aluminium Die Cast  
Colour : 3000K | IP 65  
Body Colour: Grey  
D : 88mm |H : 550mm



# MODERNA

**nisarg light**<sup>®</sup>

DESIGNED FOR SMART LIVING

MODERN POLE LIGHT

NL 4441



## Features

- Aluminium & G.I. Pole
- High PF Driver
- Surge Protection > 6KV
- Protection Rating : IP65
- CRI > 80
- Colour : 3000K
- Pole Height : 2400mm / 3000mm
- Pole Dia : 60mm

**MODERN POLE LIGHT**

**MODERNA**




**NL 4441-A**  
50W LED Modern Pole Light  
Head : Aluminium Die Cast  
Pole : GI 50W  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 60mm | Height : 2400mm

**NL 4441-B**  
50W LED Modern Pole Light  
Head : Aluminium Die Cast  
Pole : GI 50W  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 60mm | Height : 3000mm



**BE THE LIGHT  
THAT HELPS  
OTHERS SEE.**



**NL 4442-A**  
50W LED Modern Pole Light  
Head : Aluminium Die Cast  
Pole : GI 50W  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 60mm | Height : 2400mm

**NL 4442-C**  
2 x 50W LED Modern Pole Light  
Head : Aluminium Die Cast  
Pole : GI 2 x 50W  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 60mm | Height : 2400mm

**NL 4442-B**  
50W LED Modern Pole Light  
Head : Aluminium Die Cast  
Pole : GI 50W  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 60mm | Height : 3000mm

**NL 4442-D**  
2 x 50W LED Modern Pole Light  
Head : Aluminium Die Cast  
Pole : GI 2 x 50W  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 60mm | Height : 3000mm



**NL 4443-A**  
50W LED Modern Pole Light  
Body Material : GI & Polycarbonate / Milky Diffuser  
Pole : GI 50W  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 60mm | H : 2400mm (1500+900mm)

**NL 4443-B**  
72W LED Modern Pole Light  
Body Material : GI & Milky Diffuser  
Pole : GI 72W  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 60mm | Height : 3000mm (1800+1200mm)



**NL 4444-A**  
36W LED Modern Pole Light  
Body Material : GI  
Pole : GI 36W  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 100mm X100mm | Height : 2400mm

**NL 4444-B**  
50W LED Modern Pole Light  
Body Material : GI  
Pole : GI 50W  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 100mm X100mm | Height : 3000mm



Packing and Transportation Charges would be extra at actuals





**MODERN STREET LIGHT**




**MODULA**



**NL 4445-A**  
36W LED Modern Street Light  
Body Material : GI  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 100mm x 100mm | Height : 3000mm

**NL 4445-B**  
72W LED Modern Street Light  
Body Material : GI  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 100mm x 100mm | Height : 3600mm



**NL 4446-A**  
36W LED Modern Street Light  
Body Material : GI  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 100mm x 100mm  
Height : 3000mm

**NL 4446-C**  
2x36W LED Modern Street Light  
Body Material : GI  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 100mm x 100mm  
Height : 3000mm

**NL 4446-B**  
72W LED Modern Street Light  
Body Material : GI  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 100mm x 100mm  
Height : 3600mm

**NL 4446-D**  
2 x 72W LED Modern Street Light  
Body Material : GI  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 100mm x 100mm  
Height : 3600mm

Packing and Transportation Charges would be extra at actuals



One year warranty for all the above products

**CLASSIC POLE LIGHT**

**NEBULA**



**NL 4447-A**

50W LED Classic Pole Light  
Head : Aluminium Die Cast  
Pole : GI  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 114mm &60mm  
Height : 4000mm

50W

**NL 4447-C**

2 x 50W LED Classic Pole Light  
Head : Aluminium Die Cast  
Pole : GI  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 114mm &60mm  
Height : 4000mm

2 x 50W

**NL 4447-D**


2 x 50W LED Classic Pole Light  
Head : Aluminium Die Cast  
Pole : GI  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 114mm &60mm  
Height : 5000mm

2 x 50W

**NL 4447-B**

50W LED Classic Pole Light  
Head : Aluminium Die Cast  
Pole : GI  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 114mm &60mm  
Height : 5000mm

50W



**NL 4448-A**

50W LED Classic Pole Light  
Head : Aluminium Die Cast  
Pole : GI  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 114mm &60mm  
Height : 4000mm

50W

**NL 4448-B**

50W LED Classic Pole Light  
Head : Aluminium Die Cast  
Pole : GI  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 114mm &60mm  
Height : 5000mm

50W

**NL 4448-C**

2 x 50W LED Classic Pole Light  
Head : Aluminium Die Cast  
Pole : GI  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 114mm &60mm  
Height : 4000mm

2 x 50W

**NL 4448-D**

2 x 50W LED Classic Pole Light  
Head : Aluminium Die Cast  
Pole : GI  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 114mm &60mm  
Height : 5000mm

2 x 50W



Packing and Transportation Charges would be extra at actuals



**CLASSIC POLE LIGHT**

**AVALON**



**NL 4449-A**  
50W LED Classic Pole Light  
Head : Aluminium Die Cast  
Pole : GI 50W  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 60mm | Height : 2400mm

**NL 4449-B**  
50W LED Classic Pole Light  
Head : Aluminium Die Cast  
Pole : GI 50W  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 60mm | Height : 3000mm



**NL 4450-A**  
50W LED Classic Pole Light  
Head : Aluminium Die Cast  
Pole : GI 50W  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 114mm & 60mm | Height : 2400mm

**NL 4450-B**  
50W LED Classic Pole Light  
Head : Aluminium Die Cast  
Pole : GI 50W  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 114mm & 60mm | Height : 3000mm



**NL 4451-A**  
50W LED Classic Pole Light  
Head : MS  
Pole : GI 50W  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 114mm & 75mm | Height : 2400mm

**NL 4451-B**  
50W LED Classic Pole Light  
Head : MS  
Pole : GI 50W  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 114mm & 75mm | Height : 3000mm



**NL 4452-A**  
50W LED Classic Pole Light  
Head : MS  
Pole : GI 50W  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 114mm & 60mm | Height : 2400mm

**NL 4452-B**  
50W LED Classic Pole Light  
Head : MS  
Pole : GI 50W  
Colour : 3000K | IP 65  
Body Colour: Grey  
Pole Dia : 114mm & 60mm | Height : 3000mm






Packing and Transportation Charges would be extra at actuals





**POST TOP**

**FUTURA**

<p><b>NEW</b></p>  <p>NL 4441-H1      NL 4442-H1</p>	<p><b>NL 4441-H1</b> 50W LED Decorative Post Top Colour : 3000K   IP 65 D: 400mm H : 300mm Pipe Dia : 60mm</p> <p style="text-align: right;">50W</p>	<p><b>NL 4442-H1</b> 50W LED Decorative Post Top Colour : 3000K   IP 65 D: 400mm H : 300mm Pipe Dia : 60mm</p> <p style="text-align: right;">50W</p>
<p><b>NEW</b></p>  <p>NL 4449-H1      NL 4450-H1</p>	<p><b>NL 4449-H1</b> 50W LED Decorative Post Top Colour : 3000K   IP 65 D: 325mm H : 450mm Pipe Dia : 60mm</p> <p style="text-align: right;">50W</p>	<p><b>NL 4450-H1</b> 50W LED Decorative Post Top Colour : 3000K   IP 65 D: 500mm H : 425mm Pipe Dia : 60mm</p> <p style="text-align: right;">50W</p>
<p><b>NEW</b></p>  <p>NL 4451-H1      NL 4452-H1</p>	<p><b>NL 4451-H1</b> 50W LED Decorative Post Top Colour : 3000K   IP 65 D: 500mm H : 425mm Pipe Dia : 60mm</p> <p style="text-align: right;">50W</p>	<p><b>NL 4452-H1</b> 50W LED Decorative Post Top Colour : 3000K   IP 65 D: 500mm H : 425mm Pipe Dia : 60mm</p> <p style="text-align: right;">50W</p>
<p><b>NEW</b></p>  <p>NL 4448-H1</p>	<p><b>NL 4448-H1</b> 50W LED Decorative Post Top Colour : 3000K   IP 65 D: 525mm H : 450mm Pipe Dia : 38mm</p> <p style="text-align: right;">50W</p>	<p><b>NL 4448-H2</b> E27 LED Decorative Post Top IP 65 D: 525mm H : 450mm Pipe Dia : 38mm</p>
<p><b>NEW</b></p>  <p>NL 4447-H1</p>	<p><b>NL 4447-H1</b> 50W LED Decorative Post Top Colour : 3000K   IP 65 D: 500mm H : 400mm Pipe Dia : 38mm</p> <p style="text-align: right;">50W</p>	<p><b>NL 4447-H2</b> E27 LED Decorative Post Top IP 65 D: 525mm H : 450mm Pipe Dia : 38mm</p>



Packing and Transportation Charges would be extra at actuals






# TURBO

## LED FLOOD LIGHT

### NL 2296

**nisarg light**<sup>®</sup>  
DESIGNED FOR SMART LIVING



### Features

- Aluminium Die Cast Housing
- High PF Driver
- Built-In Driver
- Surge Protection > 4KV
- Protection Rating : IP65
- CRI > 80
- Colour : 6000K
- High Voltage Protection : Long Life

**LED FLOOD LIGHT**



**TURBO**



**NL 2263**

30W SMD LED Flood Light  
Aluminium Die Cast Body  
IP : 65  
Colour : 6000k  
Body Colour : Grey

30W

**NL 2264**

50W SMD LED Flood Light  
Aluminium Die Cast Body  
IP : 65  
Colour : 6000k  
Body Colour : Grey

50W



**LED FLOOD LIGHT**

**FLAKE**



30W NL 2290 50W NL 2291



100W NL 2292 150W NL 2293 180W NL 2294

**NL 2290**

30W SMD LED Flood Light  
Aluminium Die Cast Body  
IP : 65  
Colour : 6500K  
**LED : Osram**  
Body Colour : White

**NL 2291**

50W SMD LED Flood Light  
Aluminium Die Cast Body  
IP : 65  
Colour : 6500K  
**LED : Osram**  
Body Colour : White

**NL 2292**

100W SMD LED Flood Light  
Aluminium Die Cast Body  
IP : 65  
Colour : 6500K  
**LED : Osram**  
Body Colour : White

**NL 2293**

150W SMD LED Flood Light  
Aluminium Die Cast Body  
IP : 65  
Colour : 6500K  
**LED : Osram**  
Body Colour : White

**NL 2294**

180W SMD LED Flood Light  
Aluminium Die Cast Body  
IP : 65  
Colour : 6500K  
**LED : Osram**  
Body Colour : White



**STADIO**



30W NL 2296 50W NL 2296-A 100W NL 2296-B



150W NL 2296-C 200W NL 2296-D

**NL 2296**

30W SMD LED Flood Light  
Aluminium Die Cast Body  
IP : 65  
Colour : 6000K  
Body Colour : Black

**NL 2296-A**

50W SMD LED Flood Light  
Aluminium Die Cast Body  
IP : 65  
Colour : 6000K  
Body Colour : Black

**NL 2296-B**


100W SMD LED Flood Light  
Aluminium Die Cast Body  
IP : 65  
Colour : 6000K  
Body Colour : Black

**NL 2296-C**

150W SMD LED Flood Light  
Aluminium Die Cast Body  
IP : 65  
Colour : 6000K  
Body Colour : Black

**NL 2296-D**

200W SMD LED Flood Light  
Aluminium Die Cast Body  
IP : 65  
Colour : 6000K  
Body Colour : Black



**DRIVE**



**NL 2297**

300W SMD LED Flood Light  
Aluminium Die Cast Body  
IP : 65  
Colour : 6000K  
Body Colour : Grey

**NL 2297-A**

400W SMD LED Flood Light  
Aluminium Die Cast Body  
IP : 65  
Colour : 6000K  
Body Colour : Grey




# MILLENNIUM

LED STREET LIGHT

NL 2336

**nisarg light**<sup>®</sup>  
DESIGNED FOR SMART LIVING



## Features

- Aluminium Die Cast Housing
- High PF Driver
- Built-In Driver
- Surge Protection > 4KV
- Protection Rating : IP65
- CRI > 80
- Colour : 6000K
- High Voltage Protection : Long Life



## LED STREET LIGHT

### ROBUST



**NL 2333**  
24W SMD LED Street Light  
Aluminium Die Cast Body  
Colour : 6000K | **LED : Osram** 24W  
IP : 65  
Body Colour : Black  
LxBxH-275x80x63mm

**NL 2334**  
36W SMD LED Street Light  
Aluminium Die Cast Body  
Colour : 6000K | **LED : Osram** 36W  
IP : 65  
Body Colour : Black  
LxBxH-325x80x65mm

### TANGO




**NL 2340**  
24W SMD LED Street Light  
Aluminium Die Cast Body  
Colour : 6500K 24W  
**LED : Osram**  
IP : 65  
Body Colour : White

**NL 2341**  
36W SMD LED Street Light  
Aluminium Die Cast Body  
Colour : 6500K 36W  
**LED : Osram**  
IP : 65  
Body Colour : White

**NL 2342**  
50W SMD LED Street Light  
Aluminium Die Cast Body  
Colour : 6500K 50W  
**LED : Osram**  
IP : 65  
Body Colour : White

### MILLENIUM



**NL 2336**  
24W SMD LED Street Light  
Aluminium Die Cast Body  
Colour : 6500K 24W  
**LED : Osram**  
IP : 65  
Body Colour : Gray

**NL 2337**  
36W SMD LED Street Light  
Aluminium Die Cast Body  
Colour : 6500K 36W  
**LED : Osram**  
IP : 65  
Body Colour : Gray

**NL 2338**  
50W SMD LED Street Light  
Aluminium Die Cast Body  
Colour : 6500K 50W  
**LED : Osram**  
IP : 65  
Body Colour : Gray



**LED STREET LIGHT**



**SMART**



NL 2343-24W

NL 2343-36W

NL 2343-50W

**NL 2343-24W**

24W SMD LED Street Light  
Aluminium Die Cast Body  
Colour : 6500K  
**LED : Osram**  
IP : 65  
Body Colour : Grey

24W

**NL 2343-36W**

36W SMD LED Street Light  
Aluminium Die Cast Body  
Colour : 6500K  
**LED : Osram**  
IP : 65  
Body Colour : Grey

36W

**NL 2343-50W**

50W SMD LED Street Light  
Aluminium Die Cast Body  
Colour : 6500K  
**LED : Osram**  
IP : 65  
Body Colour : Grey

50W




**GLINT**



**NL 2346**

20W LED Street Light  
PC Body  
IP65  
Colour : 6500K  
Body Colour : Grey

20W



**LED Highbay Light**



**ILLUME**



**NL 2271**

100W SMD LED High Bay Light  
Aluminium Die Cast Body  
Colour : 6000K | IP : 65  
Body Colour : Black  
D: 251mm | H: 200mm

100W



**NL 2275**

100W SMD LED High Bay Light  
Aluminium Die Cast Body  
Colour : 6000K | IP : 65  
Body Colour : Black  
D: 310 | H: 175mm

100W

**NL 2276**

150W SMD LED High Bay Light  
Aluminium Die Cast Body  
Colour : 6000K | IP : 65  
Body Colour : Black  
D: 360mm | H: 180mm


150W



**NL 2277**

100W SMD LED High Bay Light  
Aluminium Die Cast Body  
Colour : 6000K | IP : 65  
Body Colour : Black  
D: 255mm | H: 105mm

100W





**CEILING/ WALL LIGHT**



**HELMET**



**NL 4086**

15W SMD LED Wall Light  
Colour : 3K | 6K | IP : 54  
Body Colour : White  
LxBxH : 201x201x68 15W



**NL 4088**

15W LED Capsule Bulk-Head,  
PC Body  
Colour : 3K | 6K | IP : 44  
Body Colour : White  
LxBxH : 207x98x55mm 15W

**BALCO**



**NL 2209-7W**

Moonlight : 4"  
7W LED Surface Mounted  
Moon Light, PC Body  
Colour : 3K, 6K | IP44  
Body Colour : White  
DxH : 100x40mm 7W

**NL 2209-18W**

Moonlight : 6"  
18W LED Surface Mounted  
Moon Light, PC Body  
Colour : 3K, 6K | IP44  
Body Colour : White  
DxH : 150x40mm 18W



**NL 2209-22W**

Moonlight : 8"  
18W LED Surface Mounted  
Moon Light, PC Body  
Colour : 3K, 6K | IP44  
Body Colour : White  
DxH : 200x40mm 22W



**NL 2207**

12W SMD LED Wall Light  
PC Body  
Colour : 3K | 6K | IP44  
Body Colour : White  
D : 176mm | H : 55mm 12W

**NL 2208**

18W SMD LED Wall Light  
Colour : 3K | 6K | IP44  
Body Colour : White  
D : 210mm | H : 55mm 18W





## SPECIAL PROMOTIONAL ITEMS

	<b>NL 1013</b> 5W MR16 Retro t Lamp D: 50mm   H: 52mm (Without Driver) CCT: 3K/4K/6K	5W
	<b>NL 1015</b> 15W Retro t Lamp with Driver CCT: 3K/4K	15W
	<b>NL 1001</b> 1W LED Fixed Spot Light D-35mm / H-30mm / C-28mm CCT: 3K/4K	1W
	<b>NL 1002</b> 1W LED Fixed Spot Light D-38x38mm / H-30mm / C-28mm CCT: 3K/4K	1W
	<b>NL 1121</b> 8W COB LED Spot Light D-83mm   H-55mm C-69mm CCT: 3K/4K/6K	8W
	<b>NL 1124</b> 10W COB LED Spot Light D : 104mm   H : 90mm C : 95mm CCT: 3K/4K/6K	10W
	<b>NL 1126</b> 10W COB LED Spot Light D : 93x93mm   H : 55mm C : 73mm CCT: 3K/4K/6K	10W
	<b>NL 1033</b> 13W COB LED Ceiling Recessed Fixed Spot Light Colour : 3K/4K/6K   IP 20 D: 88x88mm   H : 87mm C : 82x82mm	13W
	<b>NL 1034</b> 9W COB LED Ceiling Recessed Fixed Spot Light Colour : 3K/4K/6K   IP 20 D: 88x88mm   H : 90mm C : 83x83mm	9W
	<b>NL 1255</b> 10W COB LED Adjustable Spot Light D-95mm / H-75mm / C-65mm CCT: 3K/4K/6K	10W
	<b>NL 1256</b> 10W COB LED Adjustable Spot Light D-95x95mm   H-75mm C-65x65mm CCT: 3K/4K/6K	10W
	<b>NL 1257</b> 10W COB LED Fixed Spot Light D-95mm   H-100mm C-93mm	10W
	<b>NL 1258</b> 10W COB LED Fixed Spot Light D-95x95mm   H-100mm C-93x93mm CCT: 3K/4K/6K	10W
	<b>NL 1410</b> 10W COB LED Fixed Spot Light D-85mm   H-100mm C-79mm CCT: 3K/4K/6K	10W

	<b>NL 1147</b> 9W COB LED Ceiling Recessed Adjustable Spot Light CCT : 3K/4K/6K   IP 20 D: 92mm   H : 87mm C : 82mm	9W
	<b>NL 1148</b> 9W COB LED Ceiling Recessed Adjustable Spot Light Colour : 3K/4K/6K   IP 20 D: 89x89mm   H : 87mm C : 77x77mm	9W
	<b>NL 1201</b> 13W COB LED Spot Light D : 78mm   H : 105mm C : 70mm CCT: 3K/4K/6K	13W
	<b>NL 1202</b> 13W COB LED Spot Light D : 95mm   H : 105mm C : 81mm CCT: 3K/4K/6K	13W
	<b>NL 1205</b> 13W COB LED Spot Light D : 99mm   H : 105mm C : 94mm CCT: 3K/4K/6K	13W
	<b>NL 1206</b> 13W COB LED Spot Light D : 99x99mm   H : 105mm C : 94x94mm CCT: 3K/4K/6K	13W
	<b>NL 1207</b> 15W COB LED Spot Light D : 115x115mm   H : 90mm C : 100x100mm CCT: 3K/4K/6K	15W
	<b>NL 1064</b> 30W COB LED Ceiling Recessed Fixed Spot Light Colour : 3K/4K/6K   IP 20 D: 145mm   H : 115mm C : 125mm	30W
	<b>NL 1043</b> 15W COB LED Ceiling Recessed Adjustable Spot Light Colour : 3K/4K/6K   IP 20 D: 100mm   H : 75mm C : 95mm	15W
	<b>NL 1209</b> 18W COB LED Down Light D: 85mm   H: 75mm C: 75mm CCT: 3K/4K/6K	18W
	<b>NL 1211</b> 18W COB LED Down Light D: 135mm   H: 136mm C: 115mm CCT: 3K/4K/6K	18W
	<b>NL 1263</b> 13W Spot Light D: 96x96mm H: 75mm C: 72mm CCT: 3K/4K	13W
	<b>NL 1262</b> 13W Spot Light D:82mm H: Ø77mm C: Ø72mm CCT: 3K/4K/6K	13W
	<b>NL 2227</b> 12W COB Spot Light CCT : 3K/4K   IP 20 D:98mm   H:55mm C:85mm	12W

# SPECIAL PROMOTIONAL ITEMS

	<b>NL 2229</b> 18W COB Spot Light CCT : 3K/4K   IP 20 D: 110mm   H: 65mm C: 90mm	18W
	<b>NL 2231</b> 22W COB LED Downlight CCT : 3K   IP 20 D: 155mm H: 92mm C: Ø145mm	22W
	<b>NL 2232</b> 32W COB LED Downlight CCT : 3K   IP 20 D: 195mm H: 96mm C: Ø180mm	32W
	<b>NL 1075</b> 10W LED Spot Adjustable Spot Light D-95mm / H-115mm / C-80mm CCT: 3K/4K/6K	10W
	<b>NL 1076</b> 10W LED Spot Adjustable Spot Light D-95x95mm   H-115mm C-85x85mm CCT: 3K/4K/6K	10W
	<b>NL 1082</b> 15W Hi-Power LED Down Light D : 128x128mm   H : 115mm C : 115x115mm CCT: 3K/4K/6K	15W
	<b>NL 1083</b> 30W Hi-Power LED Down Light D : 153mm   H : 120mm C : 135mm CCT: 3K/4K/6K	30W
	<b>NL 1084</b> 30W Hi-Power LED Down Light D : 153x153mm   H : 120mm C : 138x138mm CCT: 3K/4K/6K	30W
	<b>NL 1109</b> 10W COB LED Pin Spot Light D : 93mm   H : 55mm C : 73mm CCT: 3K/4K/6K	10W
	<b>NL 1110</b> 10W COB LED Pin Spot Light D : 85mm   H : 95mm C: 75mm CCT: 3K/4K/6K	10W
	<b>NL 1111</b> 10w COB LED Spot Light D : 85mm   H : 95mm C : 75mm CCT: 3K/4K/6K	10W
	<b>NL 1127</b> 15W COB LED Down Light D : 120mm   H : 75mm C : 100mm CCT: 3K/4K/6K	15W
	<b>NL 1128</b> 24W COB LED Down Light D : 140mm   H : 85mm C : 120mm CCT: 3K/4K/6K	24W
	<b>NL 1132</b> 35W COB LED Down Light D-170mm   H-95mm C-160mm CCT: 3K/4K/6K	35W















	<b>NL 1161</b> 15W COB LED Down Light D : 110mm   H : 80mm C : 100mm CCT: 3K/4K/6K	15W
	<b>NL 1162</b> 18W COB LED Down Light D : 140mm   H : 95mm C : 110mm CCT: 3K/4K/6K	18W
	<b>NL 1163</b> 24W COB LED Down Light D : 160mm   H : 100mm C : 120mm CCT: 3K/4K/6K	24W
	<b>NL 1167</b> 18W COB LED Down Light D : 140mm   H : 120mm C : 110mm CCT: 3K/4K/6K	18W
	<b>NL 1168</b> 24W COB LED Down Light D : 160mm   H : 120mm C : 110mm CCT: 3K/4K/6K	24W
	<b>NL 2001</b> 10W, COB LED Down Light D : 103x103mm   H : 130mm C : 106x106mm Finish : White CCT: 3K/4K/6K	10W
	<b>NL 2010</b> 10W, COB LED Down Light D : 132x132mm   H : 115mm C : 139x135mm Finish : White CCT: 3K/4K/6K	10W
	<b>NL 1301</b> 22W COB LED Adjustable Spot Light D-135mm   H-135mm C-115mm CCT: 3K/4K/6K	22W
	<b>NL 1308</b> 22W COB LED Down Light D : 135x135mm   H : 130mm C : 115x115mm CCT: 3K/4K/6K	22W
	<b>NL 1315</b> 22W COB LED Adjustable Spot Light D-135x135mm   H-109mm C-125x125mm CCT: 3K/4K/6K	22W
	<b>NL 1322</b> 14W/18W SMD LED Down Light D : 160x160mm   H : 95mm C : 135x135mm CCT: 3K/4K	14W/18W
	<b>NL 1325</b> 18W COB LED Zoom Light D : 135mm   H : 88mm C : 119mm CCT: 3K/4K/6K	18W
	<b>NL 1331</b> 24W COB LED Track Spot Light D-100mm   H-203mm CCT: 3K/4K/6K	24W
	<b>NL 1333</b> 10W COB LED Track Spot Light D-55mm   H-110mm CCT: 3K/4K/6K	10W

# SPECIAL PROMOTIONAL ITEMS

	<b>NL 1337</b> 10W COB LED Track Spot Light D-62mm   H-155mm CCT: 3K/4K/6K	10W
	<b>NL 1216</b> 24W/30W COB LED Track Spot Light D-107mm   H-250mm CCT: 3K/4K	24W/30W
	<b>NL 2202</b> 15W SMD LED Panel Light CCT : 4K   6K D : 170mm   H : 25mm C : 146mm	15W
	<b>NL 2205</b> 15W, SMD LED Panel Light CCT : 4K   6K D: 170x170mm H: 25mm C: 146x146mm	15W
	<b>NL 1153</b> 15W CCT : 4K / 6K SMD LED Down Light D : 181x181mm   H : 25mm C : 161x161mm	15W
	<b>NL 2235</b> 36W 2x2 SMD LED Panel Light CCT: 6K D : 595 x 595mm H : 10mm	36W
	<b>NL 2236</b> 48W 2x2 SMD LED Panel Light CCT: 6K D : 595 x 595mm H : 10mm	48W
	<b>NL 2202</b> 6W, SMD LED Recessed Down Light PC Ring & Galvanised CCT: 3K/4K/6K D : 110mm   H : 40mm C : 98mm	6W
	<b>NL 2203</b> 10W, SMD LED Recessed Down Light PC Ring & Galvanised CCT: 3K/4K/6K D-155mm   H-55mm C-146mm	10W
	<b>NL 2210</b> 8W SMD LED Slim trim Panel Light CCT : 6K IP 20 D:95mm  H : 21mm C:75mm	8W
	<b>NL 2212</b> 16W SMD LED Slim trim Panel Light IP 20 CCT: 3K/6K D: 150mm  H : 21mm C: 130mm	16W
	<b>NL 2215</b> 8W SMD LED Ceiling Slim trim Panel Light   IP 20 CCT: 3K/4K/6K D: 95x95mm  H : 21mm   C: 75x75mm	8W
	<b>NL 2219</b> 24W SMD LED Ceiling Slim trim Panel Light   IP 20 CCT: 3K/4K/6K D: 200x200mm  H : 21mm   C: 180x180mm	24W
	<b>NL 2301</b> 5W T-5 Linkable LED Tube Light Extrusion & PC Aluminium IP 20 Length : 1 Feet CCT : 3K   4K   6K	5W

	<b>NL 2302</b> 9W T-5 Linkable LED Tube Light Extrusion & PC Aluminium IP 20 Length : 2 Feet CCT : 6K	9W
	<b>NL 2305</b> 6W T-5 LED Batten Tube Light Aluminium Extrusion & PC IP 20 Length : 1 Feet CCT : 4K   6K	6W
	<b>NL 2306</b> 12W T-5 LED Batten Tube Light Aluminium Extrusion & PC IP 20 Length : 2 Feet CCT : 4K   6K	12W
	<b>NL 2311</b> 18W T-5 LED Batten Tube Light Aluminium Extrusion & PC IP 20 CCT : 6K Length : 2 Feet.	18W
	<b>NL 2312</b> 36W T-5 LED Batten Tube Light Aluminium Extrusion & PC IP 20 CCT : 6K Length : 4 Feet.	36W
	<b>NL 2315</b> 9W T-5 LED Batten Tube Light PC Body IP 20 CCT : 4K   6K Length : 2Feet	9W
	<b>NL 9001A</b> 36W SMD LED Suspended Light LxBxH : 1153x43x64mm	36W
	<b>NL 9001B</b> 36W SMD LED Suspended Light LxBxH : 1153x43x64mm	36W
	<b>NL 5040</b> 5W/Mtr LED Strip 60 LED/MTR CCT: Amber/2.7K/3K/4K	5W
	<b>NL 4201</b> 3W Foot light SMD : ProLight CCT: 3K   IP 20 D: 60mm   H: 40mm C: 50mm	3W
	<b>NL 4202</b> 3W Foot light SMD : ProLight CCT: 3K   IP 20 D: 60x60mm  H: 40mm C: 50mm	3W
	<b>NL 1506</b> 6W Indoor Surface mounted Wall Light Finish : White CCT: 3K	6W
	<b>NL 1507</b> 3W Indoor Surface mounted Wall Light Finish : White CCT: 3K	3W
	<b>NL 1501</b> 3W Indoor Surface mounted Wall Light Finish : White CCT: 3K	3W

## SPECIAL PROMOTIONAL ITEMS

	<b>NL 1502</b> 10W Indoor Surface mounted Wall Light Finish : White CCT: 3K	10W		<b>NL 4060</b> 7W SMD LED Bollard Light Aluminium Die Cast & PC Diffuser Colour : 3000K   IP 54 Body Colour: Matt Black D : 85x85mm   H: 650mm	7W
	<b>NL 1505</b> 6W Indoor Surface mounted Wall Light Finish : White CCT: 3K	6W		<b>NL 4003</b> 12W Bollard Light Finish: Rust Brown LxB: 108x108mm  H: 650mm IP: 54   CCT: 3K	12W
	<b>NL 4007</b> 40W : G9 Halogen (GU10 ) w/o bulb D : 108x108mm  H : 112mm IP 44 CCT: 3K	40W		<b>NL 4008</b> 7W, LED Bollard Light Finish: Graphite Black CCT: 3K D: 75x75mm   H: 600mm IP: 54	7W
	<b>NL 4015</b> 5W LED Wall light D : 110x110mm  H :93mm CCT: 3K   IP 65	5W		<b>NL 4026</b> 5W, LED Bollard Light Finish: Graphite Black Colour: 3000K D: 120x40mm   H: 650mm IP: 54	5W
	<b>NL 4016</b> 9W LED Wall Light D :55x110mm / H : 161mm IP 54 CCT: 3K	9W		<b>NL 4055</b> 9W SMD LED Bollard Light Aluminium Die Cast & PC Diffuser Colour : 3000K   IP 54 Body Colour: Matt Black D : 90mm   H: 650mm	9W
	<b>NL 4023</b> 5W, Recessed Wall Light Finish: Graphite CCT: 3K D: 66x73mm   H:171mm IP: 65	5W		<b>NL 4085</b> 8W SMD LED Wall Light Colour : 3K  6K   IP : 54 Body Colour : White D: 166x76x62mm	8W
	<b>NL 2260</b> 50W SMD LED Flood Light Aluminium Die Cast Body IP : 65 Colour : 6000K Body Colour : Grey	50W		<b>NL 2270</b> 50W SMD LED High Bay Light Aluminium Die Cast Body Colour : 6000K   IP : 65 Body Colour : Black D: 251mm   H: 100mm	50W







## TERMS & CONDITIONS

- 1) The images in price list / catalogue are for representational purpose only. Product dimensions and color may vary from that shown in catalogue.
- 2) Customers are advised to buy a physical sample before placing the final order of the product for smoother transaction.
- 3) In case of purchase of any fixture with dimmable driver, the customers are advised to check the "Automation Compatibility" by buying a sample first to avoid any issue later and also check the driver's "Fixture Cut-Out" compatibility as some of the drivers may not go inside the cut out made for the fixture and needs to be kept at a suitable distance.
- 4) The company reserves the right to withdraw any product from the market or change the prices without giving any notice.
- 5) MRP is inclusive of all taxes.
- 6) **Warranty:**
  - a. All indoor products are covered under warranty for 2 years (24 months) against any manufacturing defects.
  - b. Outdoor products are covered under warranty for 1 year / 2 year as mentioned against each product.
  - c. Product without wire label / hologram will be treated as out of warranty. Damaged or tempered products will be considered as out of warranty. Warranty is valid on led fixture and led driver only if purchased together.
  - d. The replacement within warranty shall be for driver or fitting whichever is defective.
- 7) **Warranty Would Be Void If :-**
  - a. Product is exposed to high voltage surge.
  - b. Any drilling or welding operation is carried after installation of fixture.
- 8) In case of any malfunctioning of product the company's liability would be limited to the replacement of the product.
- 9) Free Delivery by surface transport having invoice value above rupees 20000/- only (Except Profile & Pole). Delivery by any other mode (Air/Train/Bus etc.) of transport or through a preferred courier/transport chosen by the buyer would be to buyers accounts.
- 10) Profile & Pole - Packing and Transport Extra  
"The Freight cost for Profiles, Poles and Post Top (Head) Would be extra at actuals. Irrespective of Invoice Value.
- 11) Outdoor Product May have different color finish on the fixture kindly buy a sample before placing the order.
- 12) Spares: It is advisable to keep stock of spare driver which are of regular use for prompt customer service.
- 13) Return Policy: Material Returned will not be accepted unless the goods are defective and under warranty. The customer has to inform in writing prior to sending defective material.
- 14) Packing: Customer should send material along with proper invoice for repair with appropriate packing / protection so that product doesn't get damaged in transit.
- 15) Shortage: If any issue / physical damage / mismatch occurs in dispatched material customer should inform within a day of receipt of material
- 16) Nirvana Light in any case will try everything in its power to ensure all data and information herein are correct and up to date, yet to shall not be accountable if, regardless of proof reads, there should be inaccuracy or errors.
- 17) All disputes are subject to Mumbai Jurisdiction only.

# nisarg light<sup>®</sup>


DESIGNED FOR SMART LIVING

निसर्ग लाइट<sup>®</sup>  
DESIGNED FOR SMART LIVING

**NIRVANA LIGHTING PVT. LTD.**

**Regd. Office :** 903, Synergy Business Park, Sahakar Wadi, Near Synthofine Industrial Estate, Goregoan (E), Mumbai - 400063. Tel.: +91 22 4969 6903

**Factory :** A/52-61, Royal Ind. Hub, Bhiwandi-Kaman Road, Palghar - 401208 Maharashtra.  
E : sales2@nirvanalighting.in Customer Care : +91 93723 79819



For more information  
scan this QR Code



[www.nirvanalighting.in/nisarg](http://www.nirvanalighting.in/nisarg)